

#RE
LUX
100%

#RE
HYBRID
90%

#RE
80%

DIVISIÓN DE OFICINA


OFFICE DIVISION

CATÁLOGO
2025




A-09928

Peso 0,376 Kg/m
Perímetro 210,4 mm




A-100108

Peso 0,581 Kg/m
Perímetro 327,0 mm




L-100117

Peso 0,384 Kg/m
Perímetro 198,0 mm




L-300117

Peso 0,430 Kg/m
Perímetro 215,0 mm




L-503059

Peso 0,765 Kg/m
Perímetro 414,0 mm




L-503060

Peso 0,816 Kg/m
Perímetro 400,0 mm




A-00072

Peso 0,756 Kg/m
Perímetro 398,0 mm




A-00325

Peso 0,861 Kg/m
Perímetro 446,0 mm




A-00645

Peso 0,889 Kg/m
Perímetro 481,0 mm




A-00646

Peso 0,158 Kg/m
Perímetro 92,0 mm




L-709200

Peso 0,789 Kg/m
Perímetro 387,0 mm




L-709201

Peso 1,032 Kg/m
Perímetro 505,0 mm




L-709202

Peso 1,137 Kg/m
Perímetro 559,0 mm




L-100080

Peso 0,621 Kg/m
Perímetro 314,0 mm




L-100081

Peso 0,389 Kg/m
Perímetro 202,0 mm




L-503040

Peso 0,967 Kg/m
Perímetro 500,0 mm




L-503041

Peso 0,755 Kg/m
Perímetro 384,0 mm




L-501181

Peso 1,156 Kg/m
Perímetro 595,0 mm




L-501182

Peso 0,869 Kg/m
Perímetro 464,0 mm




L-503026

Peso 2,214 Kg/m
Perímetro 685,0 mm




L-100043

Peso 1,152 Kg/m
Perímetro 225,0 mm




L-100760

Peso 1,078 Kg/m
Perímetro 470,0 mm




L-100761

Peso 0,441 Kg/m
Perímetro 213,0 mm



L-100762


Peso 0,586 Kg/m
Perímetro 281,0 mm



L-100763


L-100763

Peso 0,273 Kg/m
Perímetro 177,0 mm




L-503488

Peso 0,999 Kg/m
Perímetro 495,0 mm




L-503489

Peso 0,230 Kg/m
Perímetro 136,0 mm




L-100782

Peso 0,214 Kg/m
Perímetro 106,0 mm




A-00039

Peso 0,859 Kg/m
Perímetro 394,0 mm




A-00074

Peso 0,241 Kg/m
Perímetro 139,0 mm




A-00150

Peso 0,716 Kg/m
Perímetro 406,0 mm




A-00151

Peso 0,845 Kg/m
Perímetro 420,0 mm




A-00156

Peso 0,551 Kg/m
Perímetro 299,0 mm




A-00157

Peso 0,945 Kg/m
Perímetro 525,0 mm




A-00541

Peso 0,596 Kg/m
Perímetro 336,0 mm




A-00543

Peso 1,200 Kg/m
Perímetro 445,0 mm




A-00542

Peso 1,871 Kg/m
Perímetro 959,0 mm




A-00810

Peso 0,681 Kg/m
Perímetro 341,0 mm




A-00775

Peso 0,845 Kg/m
Perímetro 420,0 mm




A-00800

Peso 1,040 Kg/m
Perímetro 586,0 mm




A-01069

Peso 0,692 Kg/m
Perímetro 424,0 mm




A-01070

Peso 0,513 Kg/m
Perímetro 316,0 mm




A-01111

Peso 0,689 Kg/m
Perímetro 425,0 mm




A-01112

Peso 0,787 Kg/m
Perímetro 484,0 mm




A-01113

Peso 0,258 Kg/m
Perímetro 174,0 mm




A-01520

Peso 0,567 Kg/m
Perímetro 344,0 mm




A-01544

Peso 0,600 Kg/m
Perímetro 333,0 mm




A-02038

Peso 0,567 Kg/m
Perímetro 350,0 mm




A-02039

Peso 0,249 Kg/m
Perímetro 145,0 mm




A-02102

Peso 0,230 Kg/m
Perímetro 138,0 mm




A-02287

Peso 0,691 Kg/m
Perímetro 269,0 mm




A-04553

Peso 0,597 Kg/m
Perímetro 334,0 mm




A-04973

Peso 0,640 Kg/m
Perímetro 361,0 mm




A-04974

Peso 0,448 Kg/m
Perímetro 262,0 mm




A-10057

Peso 1,182 Kg/m
Perímetro 428,0 mm




A-10131

Peso 0,580 Kg/m
Perímetro 289,0 mm




A-10132

Peso 0,267 Kg/m
Perímetro 140,2 mm




A-10626

Peso 0,389 Kg/m
Perímetro 244,7 mm




L-006866

Peso 0,540 Kg/m
Perímetro 268,0 mm




L-010047

Peso 0,570 Kg/m
Perímetro 322,0 mm




L-010048

Peso 0,513 Kg/m
Perímetro 284,0 mm




L-010049

Peso 0,573 Kg/m
Perímetro 310,0 mm




L-010050

Peso 0,408 Kg/m
Perímetro 244,0 mm




L-010051

Peso 0,408 Kg/m
Perímetro 245,0 mm




L-010052

Peso 0,694 Kg/m
Perímetro 343,0 mm




L-010053

Peso 0,206 Kg/m
Perímetro 108,0 mm




L-010054

Peso 0,759 Kg/m
Perímetro 410,0 mm




L-010055

Peso 2,403 Kg/m
Perímetro 1150,0 mm




L-100490

Peso 1,053 Kg/m
Perímetro 488,0 mm




L-100555

Peso 0,144 Kg/m
Perímetro 105,0 mm




L-100556

Peso 0,859 Kg/m
Perímetro 425,0 mm




L-100569

Peso 0,732 Kg/m
Perímetro 337,0 mm




L-100570

Peso 0,235 Kg/m
Perímetro 139,0 mm




L-100571

Peso 0,235 Kg/m
Perímetro 139,0 mm




L-100572

Peso 0,608 Kg/m
Perímetro 304,0 mm




L-100601

Peso 0,530 Kg/m
Perímetro 247,0 mm




L-100575

Peso 1,637 Kg/m
Perímetro 732,0 mm




L-100644

Peso 0,311 Kg/m
Perímetro 179,0 mm




L-503245

Peso 1,124 Kg/m
Perímetro 496,0 mm




L-503246

Peso 1,264 Kg/m
Perímetro 588,0 mm




L-503341

Peso 1,936 Kg/m
Perímetro 864,0 mm




A-00060

Peso 0,972 Kg/m
Perímetro 557,0 mm




A-00061

Peso 0,621 Kg/m
Perímetro 331,0 mm




A-00102

Peso 0,570 Kg/m
Perímetro 297,0 mm




A-00103

Peso 1,010 Kg/m
Perímetro 535,0 mm




A-00123

Peso 1,504 Kg/m
Perímetro 693,0 mm




A-00124

Peso 0,419 Kg/m
Perímetro 242,0 mm




CI-007-001

Peso 0,548 Kg/m
Perímetro 311,5 mm




CI-007-002

Peso 0,999 Kg/m
Perímetro 565,5 mm




CI-007-004

Peso 1,120 Kg/m
Perímetro 638,0 mm




CI-007-005

Peso 0,516 Kg/m
Perímetro 297,0 mm




CI-007-006

Peso 1,920 Kg/m
Perímetro 1090,0 mm




CI-007-007

Peso 0,269 Kg/m
Perímetro 144,5 mm




CI-007-008

Peso 0,371 Kg/m
Perímetro 149,5 mm




CI-007-009

Peso 0,360 Kg/m
Perímetro 169,5 mm




L-200108

Peso 0,967 Kg/m
Perímetro 467,0 mm




L-200109

Peso 0,071 Kg/m
Perímetro 47,0 mm




L-200110

Peso 0,808 Kg/m
Perímetro 391,0 mm




L-500959

Peso 1,407 Kg/m
Perímetro 670,0 mm




L-500960

Peso 1,413 Kg/m
Perímetro 681,0 mm




L-500961

Peso 1,545 Kg/m
Perímetro 739,0 mm




CI-087-0001

Peso 0,313 Kg/m
Perímetro 179,0 mm




CI-087-0002

Peso 1,722 Kg/m
Perímetro 747,0 mm




CI-087-0003

Peso 0,537 Kg/m
Perímetro 302,0 mm




CI-087-0006

Peso 0,459 Kg/m
Perímetro 241,0 mm




CI-087-0004

Peso 1,682 Kg/m
Perímetro 746,0 mm




CI-087-0005

Peso 1,038 Kg/m
Perímetro 507,0 mm




CI-087-0007

Peso 0,482 Kg/m
Perímetro 255,0 mm




CI-087-0008


Peso 0,258 Kg/m
Perímetro 148,0 mm



CI-087-0009

Peso 0,297 Kg/m
Perímetro 150,6 mm





Carretera Nacional IV, Km 32
Apartado de correos 69
28350 Ciempozuelos
Madrid, España



alueuropa@alueuropa.com



+34 91 895 58 00