

**#RE
LUX
100%**

**#RE
HYBRID
90%**

**#RE
80%**

FRENTES DE ARMARIO

WARDROBE FRONTS


**CATÁLOGO
2025**



WWW.ALUEUROPA.COM


A-00511

Peso 0,220 Kg/m
Perímetro 160,0 mm




A-00512

Peso 0,976 Kg/m
Perímetro 452,0 mm




A-00513

Peso 0,577 Kg/m
Perímetro 354,0 mm




A-00514

Peso 0,615 Kg/m
Perímetro 378,0 mm




A-00515

Peso 0,572 Kg/m
Perímetro 358,0 mm




A-00516

Peso 0,308 Kg/m
Perímetro 194,0 mm




A-00517

Peso 0,264 Kg/m
Perímetro 167,0 mm




A-00518

Peso 0,434 Kg/m
Perímetro 204,0 mm




A-00624

Peso 0,182 Kg/m
Perímetro 97,0 mm




A-00625

Peso 0,600 Kg/m
Perímetro 313,0 mm




A-00626

Peso 0,364 Kg/m
Perímetro 197,0 mm




A-00627

Peso 0,800 Kg/m
Perímetro 428,0 mm




A-00869

Peso 0,611 Kg/m
Perímetro 319,0 mm




A-00870

Peso 0,360 Kg/m
Perímetro 186,0 mm




A-00871

Peso 0,902 Kg/m
Perímetro 452,0 mm




A-00872

Peso 0,406 Kg/m
Perímetro 162,0 mm




A-01463

Peso 0,346 Kg/m
Perímetro 185,0 mm




A-01623

Peso 0,397 Kg/m
Perímetro 211,0 mm




A-01624

Peso 0,254 Kg/m
Perímetro 134,0 mm




A-02371

Peso 0,198 Kg/m
Perímetro 104,0 mm




A-03150

Peso 0,330 Kg/m
Perímetro 170,0 mm




A-03247

Peso 0,480 Kg/m
Perímetro 184,0 mm



A-03248


Peso 0,467 Kg/m
Perímetro 176,0 mm



frentes de armario


A-03419

Peso 0,325 Kg/m
Perímetro 178,0 mm




A-03420

Peso 0,800 Kg/m
Perímetro 372,0 mm




A-03421

Peso 0,893 Kg/m
Perímetro 437,0 mm




A-03422

Peso 0,210 Kg/m
Perímetro 132,0 mm




A-03284

Peso 0,803 Kg/m
Perímetro 427,0 mm




A-03285

Peso 0,599 Kg/m
Perímetro 358,0 mm




A-03286

Peso 0,319 Kg/m
Perímetro 186,0 mm




A-03287

Peso 0,846 Kg/m
Perímetro 474,0 mm




A-09876

Peso 0,425 Kg/m
Perímetro 248,6 mm




A-09913

Peso 0,665 Kg/m
Perímetro 410,7 mm




A-09914

Peso 0,372 Kg/m
Perímetro 226,9 mm




A-09915

Peso 0,129 Kg/m
Perímetro 58,7 mm




A-10406

Peso 0,183 Kg/m
Perímetro 113,4 mm




A-10517

Peso 0,381 Kg/m
Perímetro 182,0 mm




A-10554

Peso 0,388 Kg/m
Perímetro 172,0 mm




A-10555

Peso 0,239 Kg/m
Perímetro 112,5 mm




A-10556

Peso 0,518 Kg/m
Perímetro 274,2 mm



A-10945


Peso 0,379 Kg/m
Perímetro 140,0 mm



frentes de armario


A-11012

Peso 0,370 Kg/m
Perímetro 181,8 mm




A-11066

Peso 0,770 Kg/m
Perímetro 235,5 mm




A-11517

Peso 0,531 Kg/m
Perímetro 281,5 mm




A-11067

Peso 1,512 Kg/m
Perímetro 626,0 mm




A-11518

Peso 0,415 Kg/m
Perímetro 233,3 mm




CI-001-0244

Peso 0,541 Kg/m
Perímetro 263,0 mm




CI-001-0245

Peso 0,414 Kg/m
Perímetro 231,0 mm




CI-001-0248

Peso 0,156 Kg/m
Perímetro 96,5 mm




CI-001-0246

Peso 0,772 Kg/m
Perímetro 441,0 mm




CI-001-0249

Peso 0,391 Kg/m
Perímetro 227,0 mm




CI-001-0259

Peso 0,812 Kg/m
Perímetro 462,0 mm




CI-001-0373

Peso 0,623 Kg/m
Perímetro 139,4 mm




CI-001-0506

Peso 0,525 Kg/m
Perímetro 136,1 mm




CI-001-0461

Peso 0,785 Kg/m
Perímetro 425,8 mm




CI-001-0530


Peso 0,465 Kg/m
Perímetro 188,3 mm


CI-001-0655


Peso 0,349 Kg/m
Perímetro 210,5 mm


CI-001-0656


Peso 0,406 Kg/m
Perímetro 155,8 mm


CI-001-0657


Peso 0,680 Kg/m
Perímetro 386,8 mm


CI-001-0686

Peso 0,620 Kg/m
Perímetro 349,9 mm



CI-001-0687

Peso 0,178 Kg/m
Perímetro 54,4 mm




CI-001-0688

Peso 0,606 Kg/m
Perímetro 346,2 mm



CI-001-0689


Peso 0,693 Kg/m
Perímetro 430,2 mm



frentes de armario


CI-026-0071

Peso 0,629 Kg/m
Perímetro 357,5 mm




CI-026-0072

Peso 0,881 Kg/m
Perímetro 485,5 mm




CI-026-0074

Peso 0,321 Kg/m
Perímetro 188,0 mm




CI-026-0073

Peso 0,743 Kg/m
Perímetro 427,0 mm




CI-028-0002

Peso 0,347 Kg/m
Perímetro 202,5 mm




CI-028-0001

Peso 0,730 Kg/m
Perímetro 421,0 mm




CI-028-0004

Peso 0,319 Kg/m
Perímetro 175,0 mm




CI-028-0003

Peso 0,898 Kg/m
Perímetro 495,0 mm




CI-028-0005

Peso 0,648 Kg/m
Perímetro 343,0 mm




CI-028-0006

Peso 0,279 Kg/m
Perímetro 167,5 mm




CI-028-0015

Peso 0,248 Kg/m
Perímetro 102,0 mm




CI-028-0013

Peso 0,545 Kg/m
Perímetro 312,0 mm



CI-028-0016


Peso 0,664 Kg/m
Perímetro 347,0 mm



frentes de armario


CI-076-0001

Peso 0,212 Kg/m
Perímetro 135,0 mm




CI-076-0002

Peso 0,355 Kg/m
Perímetro 182,5 mm




CI-076-0003

Peso 0,340 Kg/m
Perímetro 175,5 mm




CI-076-0004

Peso 0,801 Kg/m
Perímetro 374,0 mm




CI-076-0005

Peso 0,328 Kg/m
Perímetro 179,0 mm




CI-076-0006

Peso 0,892 Kg/m
Perímetro 437,0 mm




CI-076-0007

Peso 0,090 Kg/m
Perímetro 70,5 mm




CI-076-0008

Peso 0,104 Kg/m
Perímetro 76,5 mm




CI-076-0009

Peso 0,359 Kg/m
Perímetro 209,5 mm




CI-076-0012

Peso 0,467 Kg/m
Perímetro 177,4 mm




CI-076-0011

Peso 0,482 Kg/m
Perímetro 183,3 mm




L-100416

Peso 1,058 Kg/m
Perímetro 480,0 mm




L-100417

Peso 0,386 Kg/m
Perímetro 160,0 mm



L-100455


Peso 0,416 Kg/m
Perímetro 238,0 mm



frentes de armario


L-100519

Peso 1,048 Kg/m
Perímetro 510,0 mm




L-100520

Peso 0,751 Kg/m
Perímetro 320,0 mm




L-100521

Peso 0,808 Kg/m
Perímetro 403,0 mm




L-100522

Peso 0,378 Kg/m
Perímetro 214,0 mm




L-100524

Peso 0,297 Kg/m
Perímetro 56,0 mm




L-100525

Peso 0,710 Kg/m
Perímetro 351,0 mm




L-100720

Peso 0,619 Kg/m
Perímetro 321,0 mm




L-100482

Peso 0,351 Kg/m
Perímetro 187,0 mm




L-500107

Peso 0,179 Kg/m
Perímetro 94,0 mm




L-201067

Peso 0,708 Kg/m
Perímetro 403,0 mm




L-201068

Peso 0,289 Kg/m
Perímetro 184,0 mm




L-500106

Peso 0,619 Kg/m
Perímetro 303,0 mm




L-503252

Peso 1,002 Kg/m
Perímetro 584,0 mm




L-503280

Peso 0,737 Kg/m
Perímetro 383,0 mm



L-503281


Peso 0,808 Kg/m
Perímetro 420,0 mm



frentes de armario


L-503282

Peso 0,767 Kg/m
Perímetro 399,0 mm




L-503283

Peso 0,783 Kg/m
Perímetro 394,0 mm




L-503284

Peso 0,503 Kg/m
Perímetro 268,0 mm




L-503292

Peso 1,072 Kg/m
Perímetro 520,0 mm




L-503479

Peso 1,637 Kg/m
Perímetro 821,0 mm




L-503992

Peso 0,675 Kg/m
Perímetro 360,0 mm




L-503993

Peso 0,867 Kg/m
Perímetro 467,0 mm




L-503994

Peso 0,591 Kg/m
Perímetro 340,0 mm




L-503995

Peso 0,451 Kg/m
Perímetro 256,0 mm




L-503996

Peso 0,497 Kg/m
Perímetro 283,0 mm




L-504014

Peso 0,496 Kg/m
Perímetro 259,0 mm




L-504015

Peso 1,356 Kg/m
Perímetro 594,0 mm




L-504016

Peso 0,360 Kg/m
Perímetro 189,0 mm




L-504017

Peso 0,621 Kg/m
Perímetro 324,0 mm




L-504093

Peso 1,429 Kg/m
Perímetro 726,0 mm




L-509034

Peso 0,443 Kg/m
Perímetro 276,0 mm




L-609027

Peso 0,524 Kg/m
Perímetro 325,0 mm




L-609041

Peso 0,273 Kg/m
Perímetro 91,0 mm




L-609042

Peso 0,284 Kg/m
Perímetro 175,0 mm




A-09932

Peso 1,406 Kg/m
Perímetro 672,4 mm




A-10214

Peso 1,489 Kg/m
Perímetro 657,3 mm




L-500319

Peso 0,397 Kg/m
Perímetro 239,0 mm




L-500490

Peso 2,314 Kg/m
Perímetro 765,0 mm




L-500683

Peso 0,670 Kg/m
Perímetro 321,0 mm



L-500684


Peso 0,603 Kg/m
Perímetro 293,0 mm



frentes de armario


L-501083

Peso 0,562 Kg/m
Perímetro 259,0 mm




L-509002

Peso 1,002 Kg/m
Perímetro 516,0 mm




L-509005

Peso 0,481 Kg/m
Perímetro 266,0 mm




L-509010

Peso 0,443 Kg/m
Perímetro 276,0 mm




L-509013

Peso 0,484 Kg/m
Perímetro 290,0 mm




L-509014

Peso 0,581 Kg/m
Perímetro 324,0 mm




L-509023

Peso 0,508 Kg/m
Perímetro 294,0 mm




L-509031

Peso 0,686 Kg/m
Perímetro 389,0 mm




L-509042

Peso 0,608 Kg/m
Perímetro 317,0 mm




L-509043

Peso 0,535 Kg/m
Perímetro 310,0 mm




L-509045

Peso 0,457 Kg/m
Perímetro 252,0 mm




L-509052

Peso 0,557 Kg/m
Perímetro 315,0 mm




L-509065

Peso 0,500 Kg/m
Perímetro 247,0 mm




L-609001

Peso 0,689 Kg/m
Perímetro 365,0 mm




L-609012

Peso 0,276 Kg/m
Perímetro 157,0 mm




L-609013

Peso 0,802 Kg/m
Perímetro 404,0 mm



L-609015


Peso 0,449 Kg/m
Perímetro 269,0 mm



frentes de armario


L-609022

Peso 0,427 Kg/m
Perímetro 166,0 mm




L-609023

Peso 0,381 Kg/m
Perímetro 160,0 mm




L-609024

Peso 0,276 Kg/m
Perímetro 142,0 mm



L-609031


Peso 0,729 Kg/m
Perímetro 422,0 mm



frentes de armario


L-609032

Peso 0,881 Kg/m
Perímetro 491,0 mm




L-609034

Peso 0,327 Kg/m
Perímetro 202,0 mm




L-609033

Peso 1,283 Kg/m
Perímetro 511,0 mm




L-609037

Peso 0,257 Kg/m
Perímetro 136,0 mm




L-609038

Peso 0,878 Kg/m
Perímetro 460,0 mm




L-609039

Peso 0,430 Kg/m
Perímetro 167,0 mm




L-609040

Peso 0,095 Kg/m
Perímetro 64,0 mm




L-609047

Peso 0,241 Kg/m
Perímetro 129,0 mm




L-609055

Peso 0,770 Kg/m
Perímetro 314,0 mm




L-609056

Peso 0,216 Kg/m
Perímetro 108,0 mm




L-609057

Peso 0,603 Kg/m
Perímetro 321,0 mm




L-609058

Peso 0,808 Kg/m
Perímetro 401,0 mm




L-609059

Peso 0,519 Kg/m
Perímetro 275,0 mm




A-03249

Peso 0,138 Kg/m
Perímetro 117,0 mm




A-09311

Peso 0,149 Kg/m
Perímetro 126,0 mm




CI-001-0247

Peso 0,178 Kg/m
Perímetro 152,5 mm




CI-076-0010

Peso 0,136 Kg/m
Perímetro 117,4 mm



L-503447

Peso 0,254 Kg/m
Perímetro 149,0 mm





Carretera Nacional IV, Km 32
Apartado de correos 69
28350 Ciempozuelos
Madrid, España



alueuropa@alueuropa.com



+34 91 895 58 00