

#RE
LUX
100%

#RE
HYBRID
90%

#RE
80%

GUIAS DE PERSIANAS

SHUTTER GUIDES

CATÁLOGO
2025




WWW.ALUEUROPA.COM

RPT-00347

Peso 1,204 Kg/m


Perímetro 600,0 mm



RPT-00348

Peso 1,233 Kg/m


Perímetro 616,5 mm



RPT-00283

Peso 1,116 Kg/m


Perímetro 580,0 mm



RPT-00011

Peso 1,285 Kg/m


Perímetro 706,0 mm



RPT-00349

Peso 1,316 Kg/m


Perímetro 730,5 mm



RPT-00133

Peso 1,316 Kg/m


Perímetro 743,0 mm



RPT-00284

Peso 1,236 Kg/m


Perímetro 642,4 mm



RPT-00285

Peso 1,236 Kg/m


Perímetro 660,2 mm



RPT-00286

Peso 1,363 Kg/m


Perímetro 710,5 mm



RPT-00287

Peso 1,383 Kg/m


Perímetro 728,4 mm



RPT-00037

Peso 1,404 Kg/m


Perímetro 744,0 mm



RPT-00232

Peso 1,316 Kg/m


Perímetro 754,8 mm



RPT-00230

Peso 1,285 Kg/m


Perímetro 738,1 mm



RPT-00580

Peso 1,294 Kg/m


Perímetro 777,2 mm



RPT-00033

Peso 1,355 Kg/m


Perímetro 746,0 mm



RPT-00350

Peso 1,386 Kg/m


Perímetro 770,5 mm



RPT-00489

Peso 1,294 Kg/m


Perímetro 741,8 mm



RPT-00486

Peso 1,395 Kg/m


Perímetro 802,0 mm



RPT-00490

Peso 1,364 Kg/m


Perímetro 781,2 mm



RPT-00487

Peso 1,465 Kg/m


Perímetro 842,3 mm



RPT-00491

Peso 1,435 Kg/m


Perímetro 821,2 mm



RPT-00488

Peso 1,535 Kg/m


Perímetro 882,3 mm



RPT-00231

Peso 1,355 Kg/m


Perímetro 778,1 mm



A-07131

Peso 1,234 Kg/m


Perímetro 670,0 mm



CI-009-0006

Peso 1,720 Kg/m


Perímetro 855,0 mm



A-02955

Peso 1,056 Kg/m


Perímetro 619,0 mm



A-05228

Peso 1,139 Kg/m


Perímetro 687,0 mm



A-05227

Peso 1,245 Kg/m


Perímetro 741,0 mm



A-05229

Peso 1,398 Kg/m


Perímetro 812,0 mm



CI-164-0645

Peso 1,232 Kg/m


Perímetro 686,1 mm



CI-164-0644

Peso 1,146 Kg/m


Perímetro 640,7 mm



A-07882

Peso 1,115 Kg/m


Perímetro 639,0 mm



L-202120

Peso 1,116 Kg/m


Perímetro 639,0 mm



A-08230

Peso 1,113 Kg/m


Perímetro 659,4 mm



L-202130

Peso 1,124 Kg/m


Perímetro 664,0 mm



A-08231

Peso 1,256 Kg/m


Perímetro 713,4 mm



L-504155

Peso 1,323 Kg/m


Perímetro 732,0 mm



L-204097

Peso 0,902 Kg/m


Perímetro 519,0 mm



L-502019

Peso 1,172 Kg/m


Perímetro 663,0 mm



L-502218

Peso 1,261 Kg/m


Perímetro 708,0 mm



L-502142

Peso 1,715 Kg/m


Perímetro 922,0 mm



L-503324

Peso 1,137 Kg/m


Perímetro 650,0 mm



L-504140

Peso 1,259 Kg/m


Perímetro 699,0 mm



CI-001-0372

Peso 0,997 Kg/m


Perímetro 607,0 mm



CI-001-0644

Peso 1,268 Kg/m


Perímetro 678,7 mm



CI-164-0221

Peso 0,865 Kg/m


Perímetro 518,3 mm



CI-027-0049

Peso 1,422 Kg/m


Perímetro 755,6 mm



A-07190

Peso 1,291 Kg/m


Perímetro 682,5 mm



A-07189

Peso 1,395 Kg/m


Perímetro 734,1 mm



A-08631

Peso 1,401 Kg/m


Perímetro 713,3 mm



A-08630

Peso 1,623 Kg/m


Perímetro 762,2 mm



CI-027-0050

Peso 1,547 Kg/m


Perímetro 773,7 mm



CI-027-0085

Peso 1,343 Kg/m


Perímetro 722,3 mm



CI-042-0002

Peso 1,380 Kg/m


Perímetro 735,5 mm



CI-042-0012

Peso 1,420 Kg/m


Perímetro 756,0 mm



CI-164-0090

Peso 1,458 Kg/m


Perímetro 768,5 mm



L-203141

Peso 1,126 Kg/m


Perímetro 638,0 mm



L-503234

Peso 1,212 Kg/m


Perímetro 672,0 mm



L-504156

Peso 1,221 Kg/m


Perímetro 690,0 mm



A-03817

Peso 1,242 Kg/m


Perímetro 698,0 mm



L-205121

Peso 1,016 Kg/m


Perímetro 604,0 mm



L-506120

Peso 1,151 Kg/m


Perímetro 663,0 mm



A-00576

Peso 0,886 Kg/m


Perímetro 512,0 mm



A-00577

Peso 1,044 Kg/m


Perímetro 602,0 mm



A-01411

Peso 1,113 Kg/m


Perímetro 629,0 mm



A-01730

Peso 0,942 Kg/m


Perímetro 583,0 mm



A-04532

Peso 0,956 Kg/m


Perímetro 634,0 mm



A-06834

Peso 0,875 Kg/m


Perímetro 518,7 mm



A-07536

Peso 0,798 Kg/m


Perímetro 584,2 mm



A-08038

Peso 0,937 Kg/m


Perímetro 606,9 mm



A-08232

Peso 1,009 Kg/m


Perímetro 614,9 mm



A-08233

Peso 1,145 Kg/m


Perímetro 665,6 mm



CI-001-0145

Peso 1,170 Kg/m


Perímetro 668,0 mm



CI-010-0060

Peso 1,100 Kg/m


Perímetro 628,0 mm



CI-010-30008

Peso 0,979 Kg/m


Perímetro 595,7 mm



CI-010-30009

Peso 0,889 Kg/m


Perímetro 521,0 mm



CI-014-0001

Peso 1,190 Kg/m


Perímetro 645,0 mm



CI-164-0031

Peso 1,881 Kg/m


Perímetro 793,1 mm



CI-164-0190

Peso 1,100 Kg/m


Perímetro 615,7 mm



CI-164-0229

Peso 0,975 Kg/m


Perímetro 584,0 mm



L-201130

Peso 1,080 Kg/m


Perímetro 618,0 mm



L-203101

Peso 0,972 Kg/m


Perímetro 550,0 mm



L-203122

Peso 1,205 Kg/m


Perímetro 691,0 mm



L-203140

Peso 1,137 Kg/m


Perímetro 644,0 mm



L-204135

Peso 1,102 Kg/m


Perímetro 624,0 mm



L-504157

Peso 1,269 Kg/m


Perímetro 690,0 mm



L-504226

Peso 1,151 Kg/m


Perímetro 656,0 mm



L-504446

Peso 1,485 Kg/m


Perímetro 732,0 mm



L-503325

Peso 1,215 Kg/m


Perímetro 687,0 mm



L-504144

Peso 1,380 Kg/m


Perímetro 743,0 mm



A-00606

Peso 0,728 Kg/m


Perímetro 454,0 mm



A-00791

Peso 0,736 Kg/m


Perímetro 448,0 mm



A-00990

Peso 0,836 Kg/m


Perímetro 503,0 mm



A-00991

Peso 0,740 Kg/m


Perímetro 460,0 mm



A-01005

Peso 0,627 Kg/m


Perímetro 394,0 mm



A-01006

Peso 0,730 Kg/m


Perímetro 458,0 mm



A-01176

Peso 0,743 Kg/m


Perímetro 461,0 mm



A-01733

Peso 0,911 Kg/m


Perímetro 537,0 mm



A-02020

Peso 0,775 Kg/m


Perímetro 431,0 mm



CI-000-0052

Peso 0,802 Kg/m


Perímetro 480,0 mm



CI-000-0053

Peso 0,802 Kg/m


Perímetro 480,0 mm



CI-000-0054

Peso 0,836 Kg/m


Perímetro 500,0 mm



CI-000-0054

Peso 0,836 Kg/m


Perímetro 500,0 mm



CI-000-0132

Peso 0,836 Kg/m


Perímetro 500,0 mm



CI-000-0133

Peso 1,041 Kg/m


Perímetro 570,0 mm



CI-000-0134

Peso 1,041 Kg/m


Perímetro 570,0 mm



CI-000-0136

Peso 0,748 Kg/m


Perímetro 423,0 mm



CI-000-0140

Peso 0,900 Kg/m


Perímetro 537,0 mm



CI-001-0208

Peso 0,786 Kg/m


Perímetro 472,0 mm



CI-010-30003

Peso 0,776 Kg/m


Perímetro 434,5 mm



CI-010-30004

Peso 0,880 Kg/m


Perímetro 486,0 mm



CI-010-30005

Peso 0,943 Kg/m


Perímetro 518,0 mm



CI-164-0134

Peso 0,840 Kg/m


Perímetro 476,2 mm



CI-164-0488

Peso 0,863 Kg/m


Perímetro 488,8 mm



CI-164-0548

Peso 0,760 Kg/m


Perímetro 452,7 mm



CI-164-0549

Peso 0,787 Kg/m


Perímetro 468,7 mm



CI-164-0626

Peso 0,724 Kg/m


Perímetro 430,7 mm



CI-164-0993

Peso 0,873 Kg/m


Perímetro 545,2 mm



CI-164-0996

Peso 0,977 Kg/m


Perímetro 553,1 mm



L-200066

Peso 0,727 Kg/m


Perímetro 438,0 mm



L-200070

Peso 0,732 Kg/m


Perímetro 453,0 mm



L-200073

Peso 0,738 Kg/m


Perímetro 456,0 mm



L-200080

Peso 0,765 Kg/m


Perímetro 473,0 mm



L-200083

Peso 0,770 Kg/m


Perímetro 476,0 mm



L-200097

Peso 0,867 Kg/m


Perímetro 504,0 mm



L-200105

Peso 0,902 Kg/m


Perímetro 524,0 mm



L-200117

Peso 0,981 Kg/m


Perímetro 548,0 mm



L-200135

Peso 1,086 Kg/m


Perímetro 582,0 mm



L-205073

Peso 0,727 Kg/m


Perímetro 450,0 mm



L-205080

Peso 0,770 Kg/m


Perímetro 476,0 mm



L-205081

Peso 0,916 Kg/m


Perímetro 528,0 mm



L-205083

Peso 0,762 Kg/m


Perímetro 472,0 mm



L-205097

Peso 0,856 Kg/m


Perímetro 497,0 mm



L-205105

Peso 0,891 Kg/m


Perímetro 517,0 mm



L-205112

Peso 0,881 Kg/m


Perímetro 544,0 mm



L-205117

Peso 0,970 Kg/m


Perímetro 543,0 mm



L-205135

Peso 1,075 Kg/m


Perímetro 575,0 mm



L-300260

Peso 0,665 Kg/m


Perímetro 400,0 mm



L-503044

Peso 0,775 Kg/m


Perímetro 472,0 mm



L-503097

Peso 0,788 Kg/m


Perímetro 474,0 mm



L-504046

Peso 0,713 Kg/m


Perímetro 412,0 mm



L-504073

Peso 0,813 Kg/m


Perímetro 417,0 mm



L-504083

Peso 0,851 Kg/m


Perímetro 511,0 mm



L-504097

Peso 0,894 Kg/m


Perímetro 519,0 mm



L-504105

Peso 0,989 Kg/m


Perímetro 574,0 mm



L-504112

Peso 0,918 Kg/m


Perímetro 567,0 mm



L-504116

Peso 1,040 Kg/m


Perímetro 576,0 mm



L-504117

Peso 1,072 Kg/m


Perímetro 585,0 mm



L-504135

Peso 1,188 Kg/m


Perímetro 622,0 mm



L-504305

Peso 0,983 Kg/m


Perímetro 538,0 mm



L-504317

Peso 1,062 Kg/m


Perímetro 591,0 mm



L-504335

Peso 1,188 Kg/m


Perímetro 602,0 mm



L-504346

Peso 0,713 Kg/m


Perímetro 412,0 mm



L-504361

Peso 0,724 Kg/m


Perímetro 445,0 mm



L-504368

Peso 0,765 Kg/m


Perímetro 459,0 mm



L-504383

Peso 0,846 Kg/m


Perímetro 523,0 mm



L-504397

Peso 0,894 Kg/m


Perímetro 519,0 mm



L-606070

Peso 0,781 Kg/m


Perímetro 461,0 mm



A-00629

Peso 0,681 Kg/m


Perímetro 386,0 mm



A-00759

Peso 0,716 Kg/m


Perímetro 406,0 mm



L-275097

Peso 0,827 Kg/m


Perímetro 481,0 mm



L-504084

Peso 0,813 Kg/m


Perímetro 479,0 mm



L-504094

Peso 0,851 Kg/m


Perímetro 499,0 mm



L-504118

Peso 0,959 Kg/m


Perímetro 519,0 mm



A-01811

Peso 0,970 Kg/m


Perímetro 532,0 mm



A-03259

Peso 1,129 Kg/m


Perímetro 610,0 mm



A-04531

Peso 0,810 Kg/m


Perímetro 535,0 mm



A-05905

Peso 0,896 Kg/m


Perímetro 532,0 mm



A-07534

Peso 0,832 Kg/m


Perímetro 542,2 mm



A-07535

Peso 0,747 Kg/m


Perímetro 481,1 mm



A-08261

Peso 0,817 Kg/m


Perímetro 464,2 mm



A-09162

Peso 0,888 Kg/m


Perímetro 504,2 mm



A-09262

Peso 1,459 Kg/m


Perímetro 722,0 mm



A-09349

Peso 1,200 Kg/m


Perímetro 651,2 mm



A-11956

Peso 0,932 Kg/m


Perímetro 465,0 mm



CI-000-0059

Peso 1,073 Kg/m


Perímetro 527,0 mm



CI-000-0135

Peso 0,647 Kg/m


Perímetro 406,0 mm



CI-001-0547

Peso 0,876 Kg/m


Perímetro 517,7 mm



CI-010-0061

Peso 0,930 Kg/m


Perímetro 532,0 mm



CI-027-0082

Peso 1,129 Kg/m


Perímetro 609,7 mm



CI-010-0061

Peso 0,786 Kg/m


Perímetro 460,1 mm



CI-164-0281

Peso 0,865 Kg/m


Perímetro 467,7 mm



CI-164-0487

Peso 0,800 Kg/m


Perímetro 476,7 mm



CI-164-0577

Peso 0,940 Kg/m


Perímetro 507,7 mm



CI-164-0712

Peso 0,877 Kg/m


Perímetro 507,8 mm



CI-164-0790

Peso 0,848 Kg/m


Perímetro 531,8 mm



CI-164-0895

Peso 0,873 Kg/m


Perímetro 472,2 mm



L-200120

Peso 0,910 Kg/m


Perímetro 498,0 mm



L-205119

Peso 0,945 Kg/m


Perímetro 548,0 mm



L-205120

Peso 0,905 Kg/m


Perímetro 494,0 mm



L-503367

Peso 0,786 Kg/m


Perímetro 358,0 mm



L-504085

Peso 0,945 Kg/m


Perímetro 517,0 mm



L-504160

Peso 1,205 Kg/m


Perímetro 599,0 mm



L-573086

Peso 0,861 Kg/m


Perímetro 439,0 mm



L-583085

Peso 0,778 Kg/m


Perímetro 439,0 mm



A-04032

Peso 0,782 Kg/m


Perímetro 434,0 mm



A-04370

Peso 1,156 Kg/m


Perímetro 646,0 mm



A-05082

Peso 0,775 Kg/m


Perímetro 435,0 mm



A-05511


Peso 0,797 Kg/m

Perímetro 442,0 mm




A-06446

Peso 0,687 Kg/m
Perímetro 367,6 mm




A-07102

Peso 0,729 Kg/m
Perímetro 374,3 mm



A-06474


Peso 1,443 Kg/m Perímetro 728,6 mm



A-06504

Peso 0,856 Kg/m


Perímetro 445,2 mm



A-06505

Peso 0,937 Kg/m


Perímetro 485,2 mm



A-06696

Peso 1,018 Kg/m


Perímetro 525,2 mm



A-06830

Peso 1,359 Kg/m


Perímetro 686,7 mm



CI-010-30006

Peso 0,864 Kg/m


Perímetro 483,5 mm



CI-010-30007

Peso 0,781 Kg/m


Perímetro 440,9 mm



CI-010-30010

Peso 0,738 Kg/m


Perímetro 419,1 mm



CI-010-30011

Peso 0,824 Kg/m


Perímetro 462,7 mm



CI-010-30012

Peso 0,692 Kg/m


Perímetro 395,6 mm



CI-010-30013

Peso 0,907 Kg/m


Perímetro 505,3 mm



CI-143-0010

Peso 0,962 Kg/m


Perímetro 523,6 mm



CI-164-0845

Peso 0,875 Kg/m


Perímetro 459,3 mm



CI-164-0916

Peso 1,058 Kg/m


Perímetro 611,2 mm



CI-164-1299

Peso 0,936 Kg/m


Perímetro 541,0 mm



A-00712

Peso 0,881 Kg/m


Perímetro 520,0 mm



A-02461

Peso 0,975 Kg/m


Perímetro 568,0 mm



L-506052

Peso 0,753 Kg/m


Perímetro 447,0 mm



L-506059

Peso 0,867 Kg/m


Perímetro 508,0 mm



L-506062

Peso 0,792 Kg/m


Perímetro 467,0 mm



L-506067

Peso 0,810 Kg/m


Perímetro 478,0 mm



L-506075

Peso 0,840 Kg/m


Perímetro 493,0 mm



L-506090

Peso 0,897 Kg/m


Perímetro 523,0 mm



L-506099

Peso 1,018 Kg/m


Perímetro 587,0 mm



L-506100

Peso 0,935 Kg/m


Perímetro 543,0 mm



L-506110

Peso 0,981 Kg/m


Perímetro 567,0 mm



L-506128

Peso 1,040 Kg/m


Perímetro 599,0 mm



L-506150

Peso 0,954 Kg/m


Perímetro 552,0 mm



L-606073

Peso 0,940 Kg/m


Perímetro 519,0 mm



L-606076

Peso 0,935 Kg/m


Perímetro 537,0 mm



L-606087

Peso 1,040 Kg/m


Perímetro 575,0 mm



L-606108

Peso 1,067 Kg/m


Perímetro 589,0 mm



CI-164-0918

Peso 0,826 Kg/m


Perímetro 443,2 mm



A-02941

Peso 1,180 Kg/m


Perímetro 662,0 mm



A-03819

Peso 1,053 Kg/m


Perímetro 633,0 mm



A-03820

Peso 1,148 Kg/m


Perímetro 672,0 mm



L-200458

Peso 1,572 Kg/m


Perímetro 882,0 mm



L-204119

Peso 1,220 Kg/m


Perímetro 703,0 mm



L-204120

Peso 1,070 Kg/m


Perímetro 610,0 mm



L-204129

Peso 1,305 Kg/m


Perímetro 748,0 mm



L-204130

Peso 1,110 Kg/m


Perímetro 630,0 mm



L-204150

Peso 1,191 Kg/m


Perímetro 670,0 mm



L-504115


Peso 1,072 Kg/m

Perímetro 632,0 mm




A-00247

Peso 0,548 Kg/m
Perímetro 332,0 mm




A-00915

Peso 0,487 Kg/m
Perímetro 346,0 mm




A-01314

Peso 0,518 Kg/m
Perímetro 330,0 mm




CI-000-0057

Peso 0,560 Kg/m
Perímetro 335,0 mm



A-01960

Peso 0,609 Kg/m
Perímetro 274,0 mm




A-01962

A-01961

A-05330

Peso 0,559 Kg/m
Perímetro 373,0 mm




A-01962

A-01961


CI-010-30001

Peso 0,474 Kg/m
Perímetro 342,5 mm




CI-164-0791

Peso 0,469 Kg/m
Perímetro 335,4 mm




L-501084

Peso 0,481 Kg/m
Perímetro 324,0 mm




A-09263

Peso 0,922 Kg/m
Perímetro 456,9 mm




L-606043

Peso 0,681 Kg/m
Perímetro 407,0 mm




L-500965

Peso 0,568 Kg/m
Perímetro 378,0 mm




CI-000-0144

Peso 1,488 Kg/m
Perímetro 557,5 mm




L-506557

Peso 1,372 Kg/m
Perímetro 550,0 mm




A-05906

Peso 0,813 Kg/m
Perímetro 424,0 mm




L-500067

Peso 1,696 Kg/m
Perímetro 424,0 mm




L-500049

Peso 0,962 Kg/m
Perímetro 358,0 mm




L-500509

Peso 2,147 Kg/m
Perímetro 496,0 mm




L-106582

Peso 1,504 Kg/m
Perímetro 479,0 mm




L-100227

Peso 0,727 Kg/m
Perímetro 416,0 mm




A-07103

Peso 0,660 Kg/m
Perímetro 343,4 mm




CI-164-0224

Peso 0,753 Kg/m
Perímetro 430,9 mm




A-00100

Peso 0,735 Kg/m
Perímetro 421,0 mm




A-03294

Peso 0,693 Kg/m
Perímetro 340,0 mm




CI-164-0995

Peso 0,653 Kg/m
Perímetro 463,8 mm




L-100574

Peso 0,924 Kg/m
Perímetro 447,0 mm




L-501989

Peso 2,895 Kg/m
Perímetro 1197 mm




A-05904

Peso 0,297 Kg/m
Perímetro 243,0 mm




CI-042-0003

Peso 0,309 Kg/m
Perímetro 245,5 mm




CI-042-0013

Peso 0,330 Kg/m
Perímetro 243,0 mm




A-09817

Peso 0,291 Kg/m
Perímetro 176,7 mm




CI-000-0138

Peso 0,417 Kg/m
Perímetro 219,0 mm




CI-000-0143

Peso 1,273 Kg/m
Perímetro 469,5 mm




L-106557

Peso 1,197 Kg/m
Perímetro 491,0 mm




A-04127

Peso 0,668 Kg/m
Perímetro 386,0 mm




A-05429

Peso 0,556 Kg/m
Perímetro 302,0 mm




A-05297

Peso 0,629 Kg/m
Perímetro 363,0 mm




L-506030

Peso 0,713 Kg/m
Perímetro 365,0 mm




L-106542

Peso 0,481 Kg/m
Perímetro 251,0 mm




CI-164-0802

Peso 0,504 Kg/m
Perímetro 232,3 mm




L-200303

Peso 0,408 Kg/m
Perímetro 204,0 mm




CI-000-0137

Peso 0,370 Kg/m
Perímetro 264,0 mm




A-00038

Peso 0,201 Kg/m
Perímetro 161,0 mm




L-600631

Peso 0,254 Kg/m
Perímetro 170,0 mm




CI-027-0090

Peso 0,433 Kg/m
Perímetro 268,5 mm




A-07161

Peso 0,433 Kg/m
Perímetro 266,9 mm




CI-164-0900

Peso 0,182 Kg/m
Perímetro 156,5 mm




L-606003

Peso 0,621 Kg/m
Perímetro 333,0 mm




A-01397

Peso 0,681 Kg/m
Perímetro 346,0 mm




L-109672

Peso 0,589 Kg/m
Perímetro 296,0 mm




A-05807

Peso 0,856 Kg/m
Perímetro 429,0 mm




L-008025

Peso 0,681 Kg/m
Perímetro 357,0 mm




L-300214

Peso 0,724 Kg/m
Perímetro 380,0 mm




A-05232

Peso 0,454 Kg/m
Perímetro 264,0 mm




CI-164-0035

Peso 0,454 Kg/m
Perímetro 266,4 mm




CI-164-0897

Peso 0,450 Kg/m
Perímetro 258,0 mm




CI-164-0489

Peso 0,512 Kg/m
Perímetro 288,2 mm




A-00920

Peso 0,249 Kg/m
Perímetro 183,0 mm




L-600630

Peso 0,213 Kg/m
Perímetro 183,0 mm




A-01761

Peso 0,347 Kg/m
Perímetro 232,0 mm




CI-010-0054

Peso 0,286 Kg/m
Perímetro 207,0 mm




L-600629

Peso 0,276 Kg/m
Perímetro 182,0 mm




A-09981

Peso 0,400 Kg/m
Perímetro 227,5 mm




A-00934

Peso 0,340 Kg/m
Perímetro 197,0 mm




L-8022

Peso 0,289 Kg/m
Perímetro 194,0 mm




CI-164-0988

Peso 0,469 Kg/m
Perímetro 267,4 mm




CI-164-0989

Peso 0,398 Kg/m
Perímetro 227,7 mm




L-008023

Peso 0,524 Kg/m
Perímetro 268,0 mm




L-008024

Peso 0,386 Kg/m
Perímetro 238,0 mm




CI-164-0990

Peso 0,478 Kg/m
Perímetro 273,4 mm




L-100007

Peso 0,432 Kg/m
Perímetro 256,0 mm




L-400654

Peso 0,416 Kg/m
Perímetro 247,0 mm




L-600046

Peso 0,538 Kg/m
Perímetro 308,0 mm




CI-164-0898

Peso 0,710 Kg/m
Perímetro 353,0 mm




L-600464

Peso 0,659 Kg/m
Perímetro 351,0 mm




A-01509

Peso 0,470 Kg/m
Perímetro 270,0 mm




L-100136

Peso 0,367 Kg/m
Perímetro 248,0 mm




L-300932

Peso 0,214 Kg/m
Perímetro 158,0 mm




L-8021

Peso 0,443 Kg/m
Perímetro 267,0 mm




A-05947

Peso 0,262 Kg/m
Perímetro 172,0 mm




L-300935

Peso 0,384 Kg/m
Perímetro 220,0 mm




A-01137

Peso 0,385 Kg/m
Perímetro 240,0 mm




A-06697

Peso 0,537 Kg/m
Perímetro 303,4 mm




A-02484

Peso 0,923 Kg/m
Perímetro 381,0 mm




L-600195

Peso 0,546 Kg/m
Perímetro 290,0 mm




L-600047

Peso 0,753 Kg/m
Perímetro 406,0 mm




A-01904

Peso 0,428 Kg/m
Perímetro 267,0 mm




A-10377

Peso 0,540 Kg/m
Perímetro 339,0 mm




CI-033-40039

Peso 0,480 Kg/m
Perímetro 290,7 mm




L-300936

Peso 0,411 Kg/m
Perímetro 246,0 mm




CI-010-20117

Peso 0,459 Kg/m
Perímetro 284,0 mm




CI-164-0364

Peso 0,454 Kg/m
Perímetro 270,2 mm




A-05462

Peso 0,500 Kg/m
Perímetro 311,0 mm




A-00245

Peso 1,063 Kg/m
Perímetro 593,0 mm




A-05908

Peso 0,926 Kg/m
Perímetro 609,0 mm




CI-010-30002

Peso 1,053 Kg/m
Perímetro 599,0 mm




CI-164-0640

Peso 1,008 Kg/m
Perímetro 602,4 mm




A-01695

Peso 1,251 Kg/m
Perímetro 724,0 mm




CI-010-0075

Peso 0,737 Kg/m
Perímetro 488,0 mm




CI-001-0401

Peso 1,956 Kg/m
Perímetro 1129,3 mm




A-10740

Peso 2,237 Kg/m
Perímetro 828,0 mm




L-501841

Peso 0,948 Kg/m
Perímetro 492,0 mm




L-503076

Peso 0,865 Kg/m
Perímetro 460,0 mm




CI-164-0286

Peso 0,892 Kg/m
Perímetro 507,8 mm



L-501817

Peso 1,280 Kg/m
Perímetro 629,0 mm





Carretera Nacional IV, Km 32
Apartado de correos 69
28350 Ciempozuelos
Madrid, España



alueuropa@alueuropa.com



+34 91 895 58 00