

#RE
LUX
100%

#RE
HYBRID
90%

#RE
80%

COMPLEMENTARIOS

COMPLEMENTARY PROFILES


CATÁLOGO
2025



WWW.ALUEUROPA.COM


A-07438

Peso 1,896 Kg/m
Perímetro 770,7 mm




A-07466

Peso 1,085 Kg/m
Perímetro 533,5 mm




CI-164-0770

Peso 1,084 Kg/m
Perímetro 533,7 mm




A-06758

Peso 1,550 Kg/m
Perímetro 641,5 mm




CI-026-0101

Peso 1,437 Kg/m
Perímetro 663,4 mm




CI-026-0102

Peso 1,063 Kg/m
Perímetro 492,9 mm




CI-164-0176

Peso 1,456 Kg/m
Perímetro 641,7 mm




CI-164-0808




Peso 1,641 Kg/m
Perímetro 612,1 mm



L-300217


Peso 1,607 Kg/m
Perímetro 664,0 mm







L-604082

Peso 0,360 Kg/m
Perímetro 222,0 mm




L-300376

Peso 0,492 Kg/m
Perímetro 190,0 mm




A-01812

Peso 0,399 Kg/m
Perímetro 228,0 mm



A-02239

Peso 0,498 Kg/m
Perímetro 252,0 mm




A-03292

Peso 0,423 Kg/m
Perímetro 211,0 mm


A-03483

Peso 0,868 Kg/m
Perímetro 332,0 mm




A-03484

Peso 1,084 Kg/m
Perímetro 412,0 mm




A-03589

Peso 0,453 Kg/m
Perímetro 238,0 mm




A-04603

Peso 0,338 Kg/m
Perímetro 170,0 mm




A-05468

Peso 0,551 Kg/m
Perímetro 293,0 mm




A-05517

Peso 0,598 Kg/m
Perímetro 292,0 mm




A-05550

Peso 0,718 Kg/m
Perímetro 303,0 mm




A-05551

Peso 0,840 Kg/m
Perímetro 353,0 mm




A-05709

Peso 0,389 Kg/m
Perímetro 186,0 mm




A-06385

Peso 0,352 Kg/m
Perímetro 176,2 mm




A-06386

Peso 0,459 Kg/m
Perímetro 227,8 mm




A-06473

Peso 0,954 Kg/m
Perímetro 405,2 mm




A-06685

Peso 0,400 Kg/m
Perímetro 195,0 mm




A-07105

Peso 0,440 Kg/m
Perímetro 220,5 mm




A-07403

Peso 0,531 Kg/m
Perímetro 257,1 mm




A-10500

Peso 1,163 Kg/m
Perímetro 498,0 mm




A-11811

Peso 0,380 Kg/m
Perímetro 191,0 mm




A-12502

Peso 0,395 Kg/m
Perímetro 208,2 mm




A-12503

Peso 0,547 Kg/m
Perímetro 288,2 mm




CI-026-0116

Peso 0,300 Kg/m
Perímetro 161,2 mm




CI-026-0118

Peso 0,644 Kg/m
Perímetro 376,3 mm




CI-026-0119

Peso 0,436 Kg/m
Perímetro 257,4 mm




CI-026-0120

Peso 0,403 Kg/m
Perímetro 237,7 mm




CI-026-0121

Peso 0,369 Kg/m
Perímetro 218,0 mm




CI-026-0122

Peso 0,337 Kg/m
Perímetro 198,4 mm




CI-026-0123

Peso 0,305 Kg/m
Perímetro 179,0 mm




CI-033-40080

Peso 0,379 Kg/m
Perímetro 211,8 mm




CI-033-40081

Peso 0,337 Kg/m
Perímetro 198,4 mm




CI-033-40082

Peso 0,454 Kg/m
Perímetro 266,4 mm




CI-164-0047

Peso 0,454 Kg/m
Perímetro 266,4 mm




CI-164-0137

Peso 0,464 Kg/m
Perímetro 241,8 mm




CI-164-0178

Peso 0,546 Kg/m
Perímetro 274,2 mm




CI-164-0526

Peso 0,478 Kg/m
Perímetro 260,5 mm




CI-164-0527

Peso 0,316 Kg/m
Perímetro 189,0 mm




CI-164-0627

Peso 0,395 Kg/m
Perímetro 212,1 mm




CI-164-0628

Peso 0,603 Kg/m
Perímetro 319,2 mm




CI-164-0815

Peso 0,345 Kg/m
Perímetro 201,6 mm




CI-164-1279

Peso 1,589 Kg/m
Perímetro 511,1 mm




L-200046

Peso 0,257 Kg/m
Perímetro 147,0 mm




L-200998

Peso 0,721 Kg/m
Perímetro 399,0 mm




L-606047

Peso 0,478 Kg/m
Perímetro 265,0 mm




L-606057

Peso 0,624 Kg/m
Perímetro 344,0 mm




L-606061

Peso 0,373 Kg/m
Perímetro 173,0 mm




L-606096

Peso 0,522 Kg/m
Perímetro 241,0 mm




L-606112

Peso 0,592 Kg/m
Perímetro 273,0 mm




A-05466

Peso 0,322 Kg/m
Perímetro 165,0 mm




A-05467

Peso 0,362 Kg/m
Perímetro 185,0 mm




A-07019

Peso 0,518 Kg/m
Perímetro 262,3 mm




A-07456

Peso 0,403 Kg/m
Perímetro 205,3 mm




A-10344

Peso 0,596 Kg/m
Perímetro 296,1 mm




A-10501

Peso 0,515 Kg/m
Perímetro 256,1 mm




A-10502

Peso 0,677 Kg/m
Perímetro 336,1 mm




CI-164-0375

Peso 0,547 Kg/m
Perímetro 291,5 mm




CI-164-0954

Peso 0,877 Kg/m
Perímetro 453,9 mm




A-06659

Peso 0,379 Kg/m
Perímetro 212,9 mm




A-06770

Peso 0,373 Kg/m
Perímetro 154,9 mm




A-08595

Peso 0,373 Kg/m
Perímetro 199,0 mm




A-11957

Peso 0,408 Kg/m
Perímetro 202,0 mm




L-202045

Peso 0,400 Kg/m
Perímetro 229,0 mm




L-202046

Peso 0,330 Kg/m
Perímetro 192,0 mm




A-00189

Peso 0,646 Kg/m
Perímetro 364,0 mm




A-00490

Peso 0,754 Kg/m
Perímetro 386,0 mm




A-00491

Peso 0,542 Kg/m
Perímetro 288,0 mm




A-00492

Peso 0,510 Kg/m
Perímetro 290,0 mm




A-00529

Peso 1,089 Kg/m
Perímetro 537,0 mm




A-00634

Peso 0,940 Kg/m
Perímetro 486,0 mm




A-01636

Peso 0,963 Kg/m
Perímetro 540,0 mm




A-03120

Peso 0,829 Kg/m
Perímetro 472,0 mm




A-03187

Peso 1,027 Kg/m
Perímetro 543,0 mm




A-06343

Peso 1,120 Kg/m
Perímetro 416,4 mm




CI-000-001

Peso 0,647 Kg/m
Perímetro 362,0 mm




CI-000-047

Peso 1,049 Kg/m
Perímetro 552,0 mm




CI-001-0115

Peso 0,834 Kg/m
Perímetro 415,0 mm




CI-001-0116

Peso 0,810 Kg/m
Perímetro 399,0 mm




CI-001-0251

Peso 1,509 Kg/m
Perímetro 747,0 mm




CI-010-0153

Peso 1,076 Kg/m
Perímetro 569,0 mm




CI-010-0156

Peso 0,975 Kg/m
Perímetro 480,0 mm




CI-010-0158

Peso 0,627 Kg/m
Perímetro 358,5 mm




CI-010-0159

Peso 1,035 Kg/m
Perímetro 511,5 mm




CI-010-0160

Peso 0,626 Kg/m
Perímetro 267,5 mm




CI-010-0161

Peso 0,568 Kg/m
Perímetro 283,5 mm




CI-026-0081

Peso 0,949 Kg/m
Perímetro 542,0 mm




CI-033-40050

Peso 0,645 Kg/m
Perímetro 336,0 mm




CI-033-40053

Peso 0,616 Kg/m
Perímetro 312,7 mm




CI-033-40065

Peso 1,525 Kg/m
Perímetro 771,8 mm




CI-033-40067

Peso 1,535 Kg/m
Perímetro 768,9 mm




CI-033-50001

Peso 0,766 Kg/m
Perímetro 379,6 mm




CI-164-0150

Peso 0,642 Kg/m
Perímetro 361,9 mm



CI-033-75075


Peso 1,031 Kg/m
Perímetro 546,9 mm



CI-164-0192

Peso 2,215 Kg/m


Perímetro 745,3 mm



CI-164-0193


Peso 2,279 Kg/m

Perímetro 765,9 mm




CI-164-0337

Peso 0,493 Kg/m
Perímetro 233,2 mm




CI-164-0338

Peso 0,563 Kg/m
Perímetro 268,4 mm




CI-164-0347

Peso 1,371 Kg/m
Perímetro 522,2 mm



CI-164-0355


Peso 0,770 Kg/m
Perímetro 408,3 mm



CI-164-0529

Peso 1,329 Kg/m


Perímetro 703,3 mm



CI-164-0575


Peso 1,047 Kg/m

Perímetro 554,3 mm




L-100816

Peso 2,166 Kg/m
Perímetro 820,0 mm




L-100817

Peso 2,155 Kg/m
Perímetro 816,0 mm




L-200149

Peso 0,840 Kg/m
Perímetro 399,0 mm




L-200150

Peso 0,935 Kg/m
Perímetro 406,0 mm




L-200817

Peso 1,953 Kg/m
Perímetro 742,0 mm




L-200149

Peso 0,929 Kg/m
Perímetro 442,0 mm




L-500832

Peso 0,670 Kg/m
Perímetro 350,0 mm




L-200150

Peso 1,018 Kg/m
Perímetro 448,0 mm




L-500833

Peso 0,692 Kg/m
Perímetro 361,0 mm




L-502010

Peso 0,991 Kg/m
Perímetro 458,0 mm



L-503116


Peso 1,426 Kg/m
Perímetro 555,0 mm



L-503750


Peso 1,982 Kg/m

Perímetro 939,0 mm




L-509809

Peso 1,477 Kg/m
Perímetro 729,0 mm




L-600149

Peso 0,664 Kg/m
Perímetro 269,0 mm




L-600150

Peso 0,606 Kg/m
Perímetro 281,0 mm




RPT-00093

Peso 1,580 Kg/m
Perímetro 715,0 mm




RPT-00170

Peso 1,467 Kg/m
Perímetro 687,7 mm




RPT-00171

Peso 1,629 Kg/m
Perímetro 777,3 mm




RPT-00201

Peso 0,683 Kg/m
Perímetro 340,2 mm




RPT-00202

Peso 1,404 Kg/m
Perímetro 680,3 mm




RPT-00203

Peso 1,266 Kg/m
Perímetro 567,6 mm




RPT-00326

Peso 0,683 Kg/m
Perímetro 317,5 mm




RPT-00426

Peso 1,499 Kg/m
Perímetro 698,5 mm



RPT-00461


Peso 1,630 Kg/m
Perímetro 778,6 mm



RPT-00288

Peso 1,892 Kg/m


Perímetro 821,6 mm



RPT-00289

Peso 1,869 Kg/m


Perímetro 815,7 mm



RPT-00517


Peso 2,308 Kg/m

Perímetro 1046,9 mm




A-00398

Peso 0,269 Kg/m
Perímetro 156,0 mm




A-00806

Peso 0,321 Kg/m
Perímetro 184,0 mm




A-01512

Peso 0,633 Kg/m
Perímetro 307,0 mm




A-01613

Peso 0,417Kg/m
Perímetro 223,0 mm




A-03597

Peso 0,223Kg/m
Perímetro 130,0 mm




A-03730

Peso 0,394 Kg/m
Perímetro 229,0 mm




CI-000-0042

Peso 0,389 Kg/m
Perímetro 222,0 mm




CI-001-0092

Peso 1,068 Kg/m
Perímetro 528,0 mm




CI-001-0174

Peso 0,431 Kg/m
Perímetro 247,0 mm




CI-001-0253

Peso 0,344 Kg/m
Perímetro 215,0 mm




CI-001-0315

Peso 0,888 Kg/m
Perímetro 508,0 mm




CI-001-0357

Peso 0,222 Kg/m
Perímetro 130,8 mm




CI-001-0621

Peso 0,408 Kg/m
Perímetro 234,1 mm




CI-010-0154

Peso 0,223 Kg/m
Perímetro 130,5 mm




CI-010-0155

Peso 0,446 Kg/m
Perímetro 224,0 mm




CI-010-0157

Peso 0,361 Kg/m
Perímetro 226,0 mm




CI-026-0079

Peso 0,336 Kg/m
Perímetro 195,5 mm




CI-026-0080

Peso 0,344 Kg/m
Perímetro 200,5 mm




CI-033-46005

Peso 0,255 Kg/m
Perímetro 137,5 mm




CI-033-75045

Peso 0,368 Kg/m
Perímetro 197,0 mm




CI-033-75046

Peso 0,359 Kg/m
Perímetro 192,3 mm




CI-033-75047

Peso 0,356 Kg/m
Perímetro 190,5 mm




CI-033-75070

Peso 0,371 Kg/m
Perímetro 198,7 mm




CI-164-0066

Peso 0,210 Kg/m
Perímetro 127,6 mm




CI-164-0086

Peso 0,377 Kg/m
Perímetro 199,8 mm




CI-164-0105

Peso 0,766 Kg/m
Perímetro 436,3 mm




CI-164-0345

Peso 0,263 Kg/m
Perímetro 151,4 mm




CI-164-0356

Peso 0,263 Kg/m
Perímetro 143,0 mm




CI-164-0415

Peso 0,364 Kg/m
Perímetro 216,0 mm




CI-164-0634

Peso 0,387 Kg/m
Perímetro 223,6 mm




CI-164-1312

Peso 0,261 Kg/m
Perímetro 158,0 mm




L-200029

Peso 0,454 Kg/m
Perímetro 182,0 mm




L-300840

Peso 0,360 Kg/m
Perímetro 136,0 mm




L-400028

Peso 0,572 Kg/m
Perímetro 256,0 mm




L-400078

Peso 0,530 Kg/m
Perímetro 262,0 mm




L-400079

Peso 0,530 Kg/m
Perímetro 262,0 mm




L-400213

Peso 0,386 Kg/m
Perímetro 218,0 mm




L-400594

Peso 0,408 Kg/m
Perímetro 217,0 mm




L-400599

Peso 0,465 Kg/m
Perímetro 217,0 mm



L-501059


Peso 1,272 Kg/m
Perímetro 523,0 mm



L-500032


Peso 1,319 Kg/m

Perímetro 399,1 mm




L-502032

Peso 1,153 Kg/m
Perímetro 605,0 mm



L-502033

Peso 0,673 Kg/m
Perímetro 351,0 mm





Carretera Nacional IV, Km 32
Apartado de correos 69
28350 Ciempozuelos
Madrid, España



alueuropa@alueuropa.com



+34 91 895 58 00