

**#RE
LUX
100%**

**#RE
HYBRID
90%**

**#RE
80%**

TOLDOS

AWNINGS


CATÁLOGO
2025



WWW.ALUEUROPA.COM


A-00379

Peso 0,653 Kg/m
Perímetro 269,0 mm




A-00380

Peso 0,547 Kg/m
Perímetro 232,0 mm




A-00385

Peso 1,550 Kg/m
Perímetro 548,0 mm




A-00382

Peso 0,726 Kg/m
Perímetro 460,0 mm




A-00387

Peso 0,915 Kg/m
Perímetro 448,0 mm




A-00388

Peso 0,845 Kg/m
Perímetro 326,0 mm




A-00389

Peso 0,709 Kg/m
Perímetro 287,0 mm




A-00391

Peso 0,409 Kg/m
Perímetro 240,0 mm




A-00392

Peso 0,491 Kg/m
Perímetro 280,0 mm




A-01177

Peso 1,390 Kg/m
Perímetro 462,0 mm




A-01224

Peso 0,590 Kg/m
Perímetro 268,0 mm




A-01225

Peso 0,767 Kg/m
Perímetro 394,0 mm




A-02350

Peso 3,068 Kg/m
Perímetro 565,0 mm




A-02351

Peso 1,247 Kg/m
Perímetro 501,0 mm




A-02643

Peso 1,515 Kg/m
Perímetro 519,0 mm




A-02948

Peso 0,765 Kg/m
Perímetro 446,0 mm




A-04277

Peso 1,043 Kg/m
Perímetro 434,0 mm




A-04953

Peso 1,401 Kg/m
Perímetro 485,0 mm




A-06016

Peso 0,783 Kg/m
Perímetro 320,0 mm



A-10053


Peso 0,276 Kg/m
Perímetro 96,8 mm



toldos


A-06304

Peso 0,783 Kg/m
Perímetro 320,0 mm




A-09847

Peso 1,797 Kg/m
Perímetro 609,7 mm




A-10856

Peso 4,767 Kg/m
Perímetro 1045,1 mm




CI-000-0215

Peso 0,765 Kg/m
Perímetro 453,0 mm




CI-001-0275

Peso 1,382 Kg/m
Perímetro 535,5 mm




CI-164-0250

Peso 0,247 Kg/m
Perímetro 108,4 mm




CI-164-0977

Peso 0,683 Kg/m
Perímetro 254,4 mm




CI-164-0709

Peso 1,451 Kg/m
Perímetro 502,0 mm




CI-164-0975

Peso 0,473 Kg/m
Perímetro 252,5 mm




CI-164-1284

Peso 1,085 Kg/m
Perímetro 590,6 mm




CI-164-0976

Peso 0,481 Kg/m
Perímetro 285,2 mm




CI-164-1334

Peso 1,571 Kg/m
Perímetro 698,2 mm




L-100149

Peso 0,265 Kg/m
Perímetro 116,0 mm




L-100270

Peso 1,488 Kg/m
Perímetro 378,0 mm




L-100364

Peso 0,227 Kg/m
Perímetro 112,0 mm




L-100392

Peso 0,961 Kg/m
Perímetro 203,0 mm




L-100397

Peso 1,388 Kg/m
Perímetro 342,0 mm




L-100694

Peso 1,710 Kg/m
Perímetro 371,0 mm




L-100695

Peso 2,187 Kg/m
Perímetro 504,0 mm




L-100789

Peso 1,774 Kg/m
Perímetro 416,0 mm




L-100713

Peso 2,871 Kg/m
Perímetro 476,0 mm




L-100714

Peso 0,081 Kg/m
Perímetro 54,0 mm




L-100898

Peso 1,440 Kg/m
Perímetro 602,0 mm




L-100909

Peso 1,747 Kg/m
Perímetro 436,0 mm




L-100910

Peso 1,372 Kg/m
Perímetro 537,0 mm




L-100979

Peso 0,775 Kg/m
Perímetro 289,0 mm




L-100914

Peso 2,430 Kg/m
Perímetro 361,0 mm





L-100980

Peso 2,196 Kg/m
Perímetro 501,0 mm




L-100981

Peso 1,872 Kg/m
Perímetro 693,0 mm




L-100997

Peso 5,619 Kg/m
Perímetro 563,0 mm




L-101102

Peso 1,291 Kg/m
Perímetro 383,0 mm




L-101040

Peso 0,217 Kg/m
Perímetro 100,0 mm




L-101106

Peso 0,311 Kg/m
Perímetro 157,0 mm



L-101107


Peso 0,111 Kg/m
Perímetro 82,0 mm



toldos


L-101109

Peso 0,265 Kg/m
Perímetro 151,0 mm




L-200084

Peso 0,748 Kg/m
Perímetro 386,0 mm




L-200284

Peso 1,259 Kg/m
Perímetro 349,0 mm




L-200561

Peso 0,565 Kg/m
Perímetro 297,0 mm




L-200562

Peso 0,387 Kg/m
Perímetro 213,0 mm




L-200635

Peso 0,813 Kg/m
Perímetro 231,0 mm




L-201064

Peso 0,864 Kg/m
Perímetro 165,0 mm




L-200710

Peso 2,279 Kg/m
Perímetro 520,0 mm




L-201069

Peso 3,051 Kg/m
Perímetro 475,0 mm




L-201076

Peso 1,558 Kg/m
Perímetro 647,0 mm



L-201111

Peso 3,389 Kg/m
Perímetro 376,0 mm




L-201208

Peso 0,854 Kg/m
Perímetro 122,0 mm




L-500114

Peso 1,259 Kg/m
Perímetro 633,0 mm




L-500152

Peso 0,362 Kg/m
Perímetro 191,0 mm




L-500213

Peso 0,900 Kg/m
Perímetro 432,0 mm




L-500226

Peso 3,508 Kg/m
Perímetro 773,0 mm




L-500256

Peso 0,457 Kg/m
Perímetro 256,0 mm




L-500257

Peso 1,442 Kg/m
Perímetro 523,0 mm




L-500272

Peso 1,161 Kg/m
Perímetro 416,0 mm




L-500285

Peso 0,997 Kg/m
Perímetro 544,0 mm




L-500379

Peso 0,446 Kg/m
Perímetro 226,0 mm



L-500386


Peso 0,883 Kg/m
Perímetro 452,0 mm



toldos


L-500286

Peso 3,832 Kg/m
Perímetro 854,0 mm




L-500429

Peso 0,486 Kg/m
Perímetro 263,0 mm




L-500451

Peso 0,705 Kg/m
Perímetro 371,0 mm




L-500454

Peso 2,576 Kg/m
Perímetro 1181,0 mm




L-500485

Peso 1,850 Kg/m
Perímetro 701,0 mm




L-500560

Peso 0,319 Kg/m
Perímetro 251,0 mm




L-500583

Peso 2,314 Kg/m
Perímetro 545,0 mm



L-500814


Peso 1,318 Kg/m
Perímetro 725,0 mm



toldos


L-500584

Peso 1,869 Kg/m
Perímetro 462,0 mm




L-500744

Peso 3,267 Kg/m
Perímetro 592,0 mm




L-500816

Peso 1,650 Kg/m
Perímetro 632,0 mm




L-500845

Peso 0,519 Kg/m
Perímetro 222,0 mm




L-500851

Peso 1,164 Kg/m
Perímetro 269,0 mm




L-500923

Peso 0,338 Kg/m
Perímetro 183,0 mm




L-500953

Peso 0,783 Kg/m
Perímetro 321,0 mm




L-500962

Peso 4,115 Kg/m
Perímetro 1012,0 mm




L-201103

Peso 0,689 Kg/m
Perímetro 294,0 mm




L-501104

Peso 2,120 Kg/m
Perímetro 866,0 mm




L-501116

Peso 0,397 Kg/m
Perímetro 182,0 mm




L-501254

Peso 2,800 Kg/m
Perímetro 534,0 mm




L-501285

Peso 0,840 Kg/m
Perímetro 430,0 mm




L-501485

Peso 1,831 Kg/m
Perímetro 701,0 mm




L-503063

Peso 0,410 Kg/m
Perímetro 193,0 mm




L-503064

Peso 1,024 Kg/m
Perímetro 298,0 mm




L-501486

Peso 1,483 Kg/m
Perímetro 614,0 mm




L-502113

Peso 2,976 Kg/m
Perímetro 673,0 mm




L-503065

Peso 0,559 Kg/m
Perímetro 273,0 mm




L-503068

Peso 0,603 Kg/m
Perímetro 255,0 mm




L-502110

Peso 2,063 Kg/m
Perímetro 854,0 mm




L-503089

Peso 1,199 Kg/m
Perímetro 431,0 mm




L-503090

Peso 1,080 Kg/m
Perímetro 397,0 mm




L-502111

Peso 3,948 Kg/m
Perímetro 889,0 mm




L-503105

Peso 0,848 Kg/m
Perímetro 410,0 mm




L-503146

Peso 0,840 Kg/m
Perímetro 429,0 mm




L-502112

Peso 2,646 Kg/m
Perímetro 1061,0 mm




L-503149

Peso 0,497 Kg/m
Perímetro 257,0 mm




L-503151

Peso 0,632 Kg/m
Perímetro 237,0 mm




L-503206

Peso 0,516 Kg/m
Perímetro 205,0 mm




L-503193

Peso 0,799 Kg/m
Perímetro 418,0 mm




L-503207

Peso 2,465 Kg/m
Perímetro 688,0 mm




L-503209

Peso 0,581 Kg/m
Perímetro 234,0 mm




L-503217

Peso 1,450 Kg/m
Perímetro 400,0 mm



L-503218


Peso 0,494 Kg/m
Perímetro 259,0 mm



toldos


L-503227

Peso 1,666 Kg/m
Perímetro 507,0 mm




L-503228

Peso 0,832 Kg/m
Perímetro 432,0 mm




L-503311

Peso 1,450 Kg/m
Perímetro 401,0 mm



L-503429


Peso 1,091 Kg/m
Perímetro 574,0 mm



toldos


L-503431

Peso 0,837 Kg/m
Perímetro 435,0 mm




L-503432

Peso 1,969 Kg/m
Perímetro 509,0 mm




L-503435

Peso 0,362 Kg/m
Perímetro 243,0 mm




L-503438

Peso 2,155 Kg/m
Perímetro 415,0 mm




L-503450

Peso 1,156 Kg/m
Perímetro 269,0 mm




L-503454

Peso 0,535 Kg/m
Perímetro 263,0 mm



L-503658

Peso 2,695 Kg/m
Perímetro 977,0 mm




L-503658

Peso 2,695 Kg/m
Perímetro 977,0 mm


L-503751

Peso 0,594 Kg/m
Perímetro 293,0 mm




L-503753

Peso 0,608 Kg/m
Perímetro 284,0 mm




L-503862

Peso 0,775 Kg/m
Perímetro 371,0 mm




L-503755

Peso 1,237 Kg/m
Perímetro 539,0 mm




L-503814

Peso 0,905 Kg/m
Perímetro 471,0 mm




L-503815

Peso 1,145 Kg/m
Perímetro 574,0 mm




L-503863

Peso 1,399 Kg/m
Perímetro 412,0 mm



L-503859


Peso 1,072 Kg/m
Perímetro 530,0 mm



toldos


L-503864

Peso 1,683 Kg/m
Perímetro 503,0 mm




L-503890

Peso 1,242 Kg/m
Perímetro 638,0 mm




L-503919

Peso 1,151 Kg/m
Perímetro 618,0 mm




L-504009

Peso 0,468 Kg/m
Perímetro 254,0 mm




L-504010

Peso 0,824 Kg/m
Perímetro 432,0 mm



L-504011

Peso 1,055 Kg/m
Perímetro 570,0 mm





Carretera Nacional IV, Km 32
Apartado de correos 69
28350 Ciempozuelos
Madrid, España



alueuropa@alueuropa.com



+34 91 895 58 00