

#RE
LUX
100%

#RE
HYBRID
90%

#RE
80%

PORTALES

ENTRANCE GATES
COLLECTION


CATÁLOGO
2025



WWW.ALUEUROPA.COM


A-03488

Peso 1,904 Kg/m
Perímetro 507,2 mm




A-03492

Peso 2,171 Kg/m
Perímetro 575,0 mm




A-04637

Peso 1,034 Kg/m
Perímetro 370,0 mm




A-03862

Peso 0,275 Kg/m
Perímetro 140,0 mm




A-03861

Peso 2,776 Kg/m
Perímetro 681,0 mm




A-03864

Peso 3,150 Kg/m
Perímetro 777,0 mm




A-03493

Peso 1,648 Kg/m
Perímetro 456,0 mm




A-06939

Peso 1,964 Kg/m
Perímetro 521,5 mm




A-03863

Peso 1,775 Kg/m
Perímetro 555,0 mm




A-03636

Peso 0,892 Kg/m
Perímetro 269,0 mm




A-01435

Peso 2,333 Kg/m
Perímetro 576,0 mm




A-01913

Peso 2,660 Kg/m
Perímetro 656,0 mm




A-03504

Peso 0,580 Kg/m
Perímetro 161,0 mm



A-04254


Peso 0,548 Kg/m
Perímetro 132,0 mm



portales


CI-164-0544

Peso 2,345 Kg/m
Perímetro 578,0 mm




CI-164-0545

Peso 2,669 Kg/m
Perímetro 657,6 mm




CI-164-0541

Peso 1,888 Kg/m
Perímetro 421,0 mm




CI-164-0542

Peso 0,694 Kg/m
Perímetro 171,5 mm




A-05193

Peso 1,766 Kg/m
Perímetro 440,0 mm




A-07625

Peso 1,526 Kg/m
Perímetro 444,2 mm




A-08878

Peso 1,784 Kg/m
Perímetro 444,4 mm




A-05823

Peso 1,023 Kg/m
Perímetro 339,0 mm




A-05194

Peso 2,574 Kg/m
Perímetro 640,0 mm




A-07684

Peso 2,248 Kg/m
Perímetro 657,9 mm




A-08880

Peso 2,578 Kg/m
Perímetro 656,5 mm



A-08879


Peso 2,317 Kg/m
Perímetro 588,1 mm



portales


A-06553

Peso 2,396 Kg/m
Perímetro 630,1 mm




A-07626

Peso 2,004 Kg/m
Perímetro 593,7 mm




A-05828

Peso 3,013 Kg/m
Perímetro 873,0 mm




A-05833

Peso 1,666 Kg/m
Perímetro 522,0 mm




A-05824

Peso 2,681 Kg/m
Perímetro 729,0 mm




A-05830

Peso 1,974 Kg/m
Perímetro 528,0 mm




A-05825

Peso 0,232 Kg/m
Perímetro 133,0 mm



A-05829


Peso 0,246 Kg/m
Perímetro 148,0 mm



portales


A-05831

Peso 2,330 Kg/m
Perímetro 641,0 mm




A-05903

Peso 2,230 Kg/m
Perímetro 676,0 mm




A-05832

Peso 0,670 Kg/m
Perímetro 201,0 mm



A-06414


Peso 0,660 Kg/m
Perímetro 164,0 mm



portales


A-03074

Peso 2,010 Kg/m
Perímetro 636,0 mm




A-03075

Peso 1,928 Kg/m
Perímetro 643,0 mm




A-03490

Peso 1,599 Kg/m
Perímetro 423,0 mm




A-03491

Peso 0,853 Kg/m
Perímetro 233,0 mm




A-01475

Peso 0,427 Kg/m
Perímetro 174,0 mm




A-01597

Peso 0,416 Kg/m
Perímetro 187,0 mm




A-01580

Peso 0,416 Kg/m
Perímetro 186,0 mm




A-01581

Peso 0,483 Kg/m
Perímetro 198,0 mm




A-01633

Peso 0,629 Kg/m
Perímetro 203,0 mm




A-03170

Peso 0,472 Kg/m
Perímetro 172,0 mm



A-03309


Peso 0,513 Kg/m
Perímetro 197,0 mm



portales


A-03859

Peso 1,588 Kg/m
Perímetro 462,0 mm




A-03860

Peso 1,183 Kg/m
Perímetro 342,0 mm




CI-164-0888

Peso 1,668 Kg/m
Perímetro 380,4 mm



A-10140


Peso 4,036 Kg/m
Perímetro 747,4 mm



A-10094


Peso 7,403 Kg/m

Perímetro 1141,1 mm




A-04999

Peso 0,977 Kg/m
Perímetro 550,0 mm




A-07685

Peso 0,965 Kg/m
Perímetro 542,1 mm




CI-164-0304

Peso 0,923 Kg/m
Perímetro 531,3 mm




A-01679

Peso 0,924 Kg/m
Perímetro 533,0 mm




L-500334

Peso 0,962 Kg/m
Perímetro 553,0 mm




CI-004-0004

Peso 0,887 Kg/m
Perímetro 543,0 mm




CI-164-0243

Peso 0,880 Kg/m
Perímetro 539,6 mm




A-07795

Peso 2,124 Kg/m
Perímetro 964,4 mm




A-03076

Peso 1,304 Kg/m
Perímetro 617,0 mm




A-06539

Peso 0,774 Kg/m
Perímetro 437,0 mm




L-500540

Peso 0,832 Kg/m
Perímetro 437,0 mm




A-06040

Peso 0,846 Kg/m
Perímetro 480,5 mm




CI-164-0398

Peso 0,755 Kg/m
Perímetro 476,7 mm




A-03389

Peso 1,069 Kg/m
Perímetro 497,0 mm




A-09331

Peso 0,900 Kg/m
Perímetro 520,4 mm




L-501214

Peso 1,118 Kg/m
Perímetro 528,0 mm




A-01941

Peso 1,131 Kg/m
Perímetro 551,0 mm




CI-027-0068

Peso 1,001 Kg/m
Perímetro 562,5 mm




A-01437

Peso 1,055 Kg/m
Perímetro 521,0 mm




A-04255

Peso 1,046 Kg/m
Perímetro 552,0 mm




A-11383

Peso 1,440 Kg/m
Perímetro 810,0 mm




A-09076

Peso 1,243 Kg/m
Perímetro 637,2 mm




L-707012

Peso 1,453 Kg/m
Perímetro 599,0 mm




L-707022

Peso 1,137 Kg/m
Perímetro 600,0 mm




L-500207

Peso 2,560 Kg/m
Perímetro 722,0 mm




CI-154-0009

Peso 1,567 Kg/m
Perímetro 764,2 mm




L-707010

Peso 1,550 Kg/m
Perímetro 739,0 mm




L-500699

Peso 2,263 Kg/m
Perímetro 978,0 mm




A-03474

Peso 0,824 Kg/m
Perímetro 468,0 mm




A-00358

Peso 1,301 Kg/m
Perímetro 600,0 mm




A-05826

Peso 2,214 Kg/m
Perímetro 973,0 mm




A-10656

Peso 1,641 Kg/m
Perímetro 799,9 mm




A-04590

Peso 3,143 Kg/m
Perímetro 1127,0 mm




L-500240

Peso 1,362 Kg/m
Perímetro 716,0 mm




L-500639

Peso 1,610 Kg/m
Perímetro 795,0 mm




L-500640

Peso 1,456 Kg/m
Perímetro 715,0 mm




A-10061

Peso 1,406 Kg/m
Perímetro 692,6 mm



A-10062


Peso 1,499 Kg/m
Perímetro 736,7 mm



A-10061 CLIPA CON A-10062


L-501131

Peso 1,342 Kg/m
Perímetro 660,0 mm




L-501150

Peso 1,380 Kg/m
Perímetro 679,0 mm




L-501152

Peso 1,394 Kg/m
Perímetro 686,0 mm




L-501153

Peso 1,515 Kg/m
Perímetro 746,0 mm



L-501180

Peso 1,502 Kg/m
Perímetro 738,0 mm





Carretera Nacional IV, Km 32
Apartado de correos 69
28350 Ciempozuelos
Madrid, España



alueuropa@alueuropa.com



+34 91 895 58 00