

#RE
LUX
100%

#RE
HYBRID
90%

#RE
80%

PREMARCOS

PRE-FRAMEWORK

CATÁLOGO
2025



WWW.ALUEUROPA.COM







Referencia	Diseño	Descripción	Peso Kg/m	Perímetro mm	
				Total	Exterior
A-01098		premarco 25 mm	0,210	135	85
CI-164-1339		premarco con gusanillo 26 mm	0,654	273	292,6
A-02161		premarco 33 mm	0,280	189	107
L-500074		premarco 33 mm	0,265	178	104
A-00121		premarco 35 mm	0,306	168	103
A-02220		premarco 35 mm	0,301	171	-
A-16867 (NOVEDAD)		premarco 35,5 mm	0,230	188	109
A-00190		premarco 125 mm	0,689	426	335
CI-001-0231		premarco 35 mm	0,257	190	111
CI-164-0225		premarco 36 mm	0,256	190,4	110,8








Referencia	Diseño	Descripción	Peso Kg/m	Perímetro mm	
				Total	Exterior
L-503197		premarco 36 mm	0,284	190,5	110,5
CI-000-0020		premarco 36 mm	0,338	191	112
CI-000-0189		premarco 36 mm	0,258	209	126
A-00721		premarco 36 mm	0,289	195	113
A-01801		premarco 36 mm	0,264	196	116
A-00005		premarco 36 mm	0,310	193	113
A-05976		premarco 36 mm	0,240	196	113
L-708032		premarco 36 mm	0,335	189	119
A-00344		premarco 36 mm	0,293	199	119
A-00574		premarco 36 mm	0,325	186	108



Referencia	Diseño	Descripción	Peso Kg/m	Perímetro mm	
				Total	Exterior
A-06454		premarco 38 mm	0,287	193	118,6
CI-010-20101		premarco 39,5 mm	0,267	215,7	133,7
L-502197		premarco 40 mm	0,346	212	132
CI-013-0033		premarco 40 mm	0,417	206	121
L-503997		premarco 41,4 mm	0,362	202	122
A-03434		premarco 43 mm	0,358	225	144,6
L-500997		premarco 45,4 mm	0,343	212	131
A-03482		premarco 46 mm	0,315	212	131
A-01755		premarco 47 mm	0,402	229	130
A-16868 (NOVEDAD)		premarco 49,6 mm	0,302	247	137







Referencia	Diseño	Descripción	Peso Kg/m	Perímetro mm	
				Total	Exterior
L-503596		premarco abatible 50 mm	0,395	242	162
A-00004		premarco 50 mm	0,400	249	140
CI-164-0126		premarco 50 mm	0,332	246,4	138,8
CI-001-0230		premarco 50 mm	0,334	246	139
A-03258		premarco 50 mm	0,423	261	154
CI-000-0014		premarco 50 mm	0,436	247	140
CI-010-20110		premarco 50 mm	0,329	269	158
L-503008		premarco 50 mm	0,393	207,3	122,1
A-00720		premarco 40 mm	0,371	251	141
L-503199		premarco 50 mm	0,467	246	139









Referencia	Diseño	Descripción	Peso Kg/m	Perímetro mm	
				Total	Exterior
A-00345		premarco 50 mm	0,377	255	147
A-01802		premarco 50 mm	0,339	252	144
L-503200		premarco con gusanillo 50 mm	0,564	287	139
L-500140		premarco especial 36 mm	0,443	251	171
A-00575		premarco 52 mm	0,441	245	141
CI-010-20102		premarco 53,5 mm	0,305	243,7	161,7
L-500996		premarco 54,4 mm	0,373	230	149
L-503595		premarco 56,2 mm	0,419	258	178
CI-010-20106		premarco 60 mm	0,506	268	160,5
L-708006		premarco gusanillo 60 mm	0,513	266	159









Referencia	Diseño	Descripción	Peso Kg/m	Perímetro mm	
				Total	Exterior
CI-010-20103		premarco 63,5 mm	0,332	263,7	181
L-708033		premarco doble 65 mm	0,516	285	194
L-503113		premarco 69 mm	0,588	310	179
L-504113		premarco 69 mm	0,594	337	181
CI-164-0300		premarco 70 mm	0,451	334,4	178,6
L-503598		premarco 70 mm	0,576	326	219
L-708009		premarco 75 mm	0,586	326	197
A-03688		premarco 75 mm	0,509	329	198
L-503578		premarco 92 mm	0,646	367	260
CI-010-20129		premarco 96 mm tacón exterior 10 mm	0,521	329,2	256










Referencia	Diseño	Descripción	Peso Kg/m	Perímetro mm	
				Total	Exterior
CI-164-0268		premarco 100 mm tacón interior 20 mm	0,642	359	279
A-10625		premarco 100 mm	0,572	342	261,2
L-708018		premarco 110 mm	0,738	394	304
L-504472		premarco gusanillo 110 mm	0,854	417	306
A-01413		premarco 115 mm	0,783	449	287
L-504998		premarco 115 mm	0,778	411	331
L-708003		premarco 115 mm	0,851	486	324
A-00665		premarco 116 mm	0,721	374	293
L-708005		premarco 116 mm	0,762	375	295
CI-010-20125		premarco 116 mm tacón interior 10 mm	0,597	386,4	304,4






Referencia	Diseño	Descripción	Peso Kg/m	Perímetro mm	
				Total	Exterior
L-708002		premarco lateral 116 mm	0,711	376	296
CI-010-20104		premarco 116 mm tacón exterior 10 mm	0,616	387	305
CI-010-20131		premarco 116 mm tacón exterior 10 mm	0,589	368,8	295,6
A-06453		premarco 116 mm	0,641	371,6	298
A-03433		premarco 118 mm	0,713	423	342
A-03717		premarco 118 mm	0,716	425	345
A-04218		premarco 118 mm	0,620	369	288
CI-010-20107		premarco 120 mm	0,733	388	280,5
A-08594		premarco 120 mm	0,672	384	310,5
L-503998		premarco 105 mm	0,797	422	342








Referencia	Diseño	Descripción	Peso Kg/m	Perímetro mm	
				Total	Exterior
A-09240		premarco 120 mm	0,684	389,9	309,5
L-708001		premarco lateral 120 mm	0,673	384	304
A-01803		premarco 120 mm	0,722	382	302
L-708007		premarco 120 mm	0,810	429	322
A-11541		premarco 120mm	0,802	469,5	386,7
L-503597		premarco 120 mm	0,797	422	342
CI-164-0267		premarco 126 mm tacón exterior 7 mm	0,743	414,9	306,9
L-503441		premarco 120 mm	0,783	415	342
CI-001-0184		premarco 120 mm tacón exterior 30 mm	0,733	416,5	337,5
CI-164-0135		premarco 120 mm tacón exterior 7 mm	0,654	273	292,6









Referencia	Diseño	Descripción	Peso Kg/m	Perímetro mm	
				Total	Exterior
CI-010-20108		premarco 120 mm tacón interior 12 mm	0,772	409,5	302
L-500797		premarco 120 mm	1,037	382	298
A-03689		premarco 120 mm	0,811	501	328
CI-164-0804		premarco 120 mm tacón interior 12 mm	0,671	382,5	302,0
CI-164-0730		premarco 120 mm tacón interior 5 mm	0,535	305,3	172,4
CI-010-20127		premarco 120 mm tacón interior 35 mm	0,712	445,8	262,9
CI-013-0034		premarco 120 mm tacón interior 12 mm	0,795	393,5	307,5
CI-164-0191		premarco 122 mm tacón interior 20 mm	0,812	430,2	322,2
A-04591		premarco 122 mm	0,740	427	345
L-708008		premarco 122 mm	0,964	502	331






Referencia	Diseño	Descripción	Peso Kg/m	Perímetro mm	
				Total	Exterior
A-02221		premarco 123 mm	0,733	421	-
A-03481		premarco 124 mm	0,754	440	357
L-503594		premarco 124 mm	0,745	395	315
A-03369		premarco 125 mm	0,680	388	308
L-708031		premarco 125 mm	0,792	424	334
A-00120		premarco especial 130 mm	0,832	457	366
L-503592		premarco 128 mm	0,765	403	323
L-503579		premarco 125 mm	0,902	513	406
L-502997		premarco 129 mm	0,713	405	325
A-10095		premarco 130 mm	0,719	409,9	329,5



Referencia	Diseño	Descripción	Peso Kg/m	Perímetro mm	
				Total	Exterior
A-11542		premarco 130 mm	0,843	489,5	406,7
A-11968		premarco 130 mm	0,788	459	376,2
L-503593		premarco especial 132 mm	0,902	446	366
L-708010		premarco 60 mm	0,945	527	354
CI-010-20132		premarco 126 mm tacón exterior 10 mm	0,656	408,8	335,6
CI-026-0095		premarco 136 mm tacón interior 10 mm	0,662	426,4	344,4
CI-010-20105		premarco 126 mm tacón exterior 10 mm	0,683	427	345
A-03718		premarco 136 mm	0,718	425,2	344,2
A-07067		premarco 136mm	0,727	430	350
L-708017		premarco 137 mm	0,954	448	345

Referencia	Diseño	Descripción	Peso Kg/m	Perímetro mm	
				Total	Exterior
A-06601		premarco 138 mm	0,825	414,4	334
L-500880		premarco 140 mm	0,983	519	382
L-504197		premarco 140 mm	0,935	462	382
CI-001-0146		premarco 140 mm tacón exterior 30 mm	0,841	456,5	376
L-504997		premarco 140 mm	0,873	462	382
L-708019		premarco 140 mm	0,846	454	364
A-09239		premarco 140 mm	0,742	424	350,5
CI-010-20109		premarco 140 mm tacón interior 12 mm	0,848	449,5	343
CI-010-20111		premarco 140 mm tacón interior 12 mm	0,830	450	341,5
CI-164-0365		premarco 143 mm tacón interior 20 mm	0,932	472,2	365,2


Referencia	Diseño	Descripción	Peso Kg/m	Perímetro mm	
				Total	Exterior
L-503574		premarco 120 mm	0,805	473	398
L-503577		premarco 140 mm	0,832	478	398
L-500364		premarco 153 mm	1,318	670	456
A-03690		premarco 150 mm	1,087	556	384
L-500890		premarco 150 mm	0,913	481	378
L-708004		premarco 150 mm	0,900	444	364
A-08894		premarco 150 mm	0,812	436,4	-
CI-164-0547		premarco 152 mm tacón interior 20 mm	0,662	426,4	344,4
A-07071		premarco 155 mm	0,951	532	452
CI-010-20112		premarco 2 patas 155 mm	0,826	508	397,5

Referencia	Diseño	Descripción	Peso Kg/m	Perímetro mm	
				Total	Exterior
L-708013		premarco 155 mm	0,986	488	408
A-09293		premarco 160 mm	0,812	464	390,5
A-11601		premarco 165 mm	0,726	451	-
L-503935		premarco 176,5 mm	1,145	565	457
L-708016		premarco 180 mm	1,166	614	508
A-10641		premarco 180 mm	0,959	506,7	426,3
L-500363		premarco elite 180 mm	1,577	774	560
L-500139		premarco especial 120 mm	0,983	518	438
L-200454		semi-premarco elite2 63 mm	0,578	323	-
L-504021		premarco 121,7 mm	0,948	519	439

Referencia	Diseño	Descripción	Peso Kg/m	Perímetro mm	
				Total	Exterior
L-500200		premarco elite 127 mm	1,170	618	538
L-500307		premarco elite 137 mm	1,259	654	574
L-500309		premarco elite 137 mm	1,261	665	585
A-01099		premarco 114 mm	1,387	508	338
A-02981		premarco 93 mm	1,240	464	259
L-501209		premarco 39 mm	0,500	264	157
L-503317		premarco 45 mm	0,476	227	129
L-501210		premarco 40 mm	0,538	283	176
L-503198		premarco 55 mm	1,075	495	269
L-503828		premarco especial 50 mm	0,481	222	131


Referencia	Diseño	Descripción	Peso Kg/m	Perímetro mm	
				Total	Exterior
CI-026-0105		premarco 54 mm	0,535	305,3	172,4
L-503312		premarco 60,5 mm	0,492	246	148
L-503365		premarco 60 mm	0,487	254	152
CI-001-0381		premarco 65 mm	1,474	366	210
A-12661		premarco 100 mm	1,631	603,2	339,2
A-13476		premarco 90 mm	0,907	448	260
A-06255		premarco 115 mm	1,039	531	300
A-06256		premarco 130 mm	1,160	591	330
L-503587		premarco 30 mm	0,324	220	139
L-503589		premarco 50 mm	0,408	276	167

Referencia	Diseño	Descripción	Peso Kg/m	Perímetro mm	
				Total	Exterior
L-500201		premarco 50 mm	0,605	307	227
L-500308		premarco 54 mm	0,697	334	254
L-500310		premarco elite 54 mm	0,767	396	276
L-504020		premarco 45,5 mm	0,449	240	160
L-504074		premarco especial canarias 45 mm	0,408	235	162
L-503599		premarco 60 mm	0,470	267	160
L-503591		premarco 60 mm	0,686	362	206
CI-010-20130		premarco 39 mm	0,302	199,1	125,9
L-503951		premarco reversible 55 mm	0,454	259	152
L-504951		premarco reversible 55 mm	0,419	257	150


Referencia	Diseño	Descripción	Peso Kg/m	Perímetro mm	
				Total	Exterior
CI-010-20100		premarco 26,5 mm	0,226	185,8	102,9
L-504036		premarco boca roscada 36mm	0,381	232	161
A-00807		premarco 36 mm	0,390	234	162
A-02051		premarco 36 mm	0,410	233	162
CI-010-20114		premarco boca roscada 36 mm	0,413	240,5	169
CI-010-20113		premarco boca roscada 50 mm	0,516	299,5	200
A-00808		premarco 50 mm	0,483	292	191
L-504050		premarco boca roscada 50,5 mm	0,475	288	189
A-02052		premarco 51 mm	0,513	291	191
L-300211		premarco 90 mm	0,505	224	-

Referencia	Diseño	Descripción	Peso Kg/m	Perímetro mm	
				Total	Exterior
L-100004		perfil "Z" premarco	0,181	98	-
L-101035		premarco especial 36 mm	0,500	264	-
L-708012		premarco piedra 140 mm	1,715	696	340
L-708011		premarco piedra 160 mm	2,090	847	380
L-708015		premarco piedra 180 mm	2,306	851	420
L-708014		premarco piedra 200 mm	2,698	1001	460


A-01098




CI-164-1339




A-02161




L-500074




A-00121




A-02220




A-00190




CI-001-0231




CI-164-0225




L-503197




CI-000-0020




CI-000-0189




A-00721




A-01801




A-00005




A-05976




L-708032




A-00344




A-00574




A-06454




CI-010-20101




L-502197




CI-013-0033




L-503997




A-03434




L-500997




A-03482




A-01755




L-503596




A-00004




CI-164-0126




CI-001-0230




A-03258




CI-000-0014




CI-010-20110




L-503008




A-00720




L-503199




A-00345




A-01802




L-503200




L-500140




A-00575




CI-010-20102




L-500996




L-503595



CI-010-20106




L-708006




CI-010-20103




L-708033




L-5033113



L-5041113




CI-164-0300




L-503598




L-708009




A-03688




L-503578




CI-010-20129




CI-164-0268




A-10625




L-708018




L-504472




A-01413




L-504998




L-708003




A-00665




L-708005




CI-010-20125




L-708002




CI-010-20104




CI-010-20131




A-06453




A-03433




A-03717




A-04218




CI-010-20107




A-08594




L-503998




A-09240




L-708001




A-01803




L-708007




A-11541




L-503597




CI-164-0267




L-503441




CI-001-0184




CI-164-0135




CI-010-20108




L-500797




A-03689




CI-164-0804




CI-164-0730




CI-010-20127




CI-013-0034




CI-164-0191




A-04591




L-708008




A-02221




A-03481




L-503594




A-03369




L-708031




A-00190




L-503592




L-503579




L-502997




A-10095




A-11542




A-11968




L-503593




L-708010




CI-010-20132




CI-026-0095




CI-010-20105




A-03718




A-07067




L-708017




A-06601




L-500880




L-504197




CI-000-0146




L-504997




L-708019




A-09239




CI-010-20109




CI-010-20111




CI-164-0365




L-503574




L-503577




L-500364




A-03690




L-500890




L-708004




A-08894




CI-164-0547




A-07071




CI-010-20112




L-708013




A-09293




A-11601




L-503935




I-708016




A-10641




L-500363




L-500139




L-200454




L-504021




L-500200




L-500307




L-500309




A-01099




A-02981




L-501209




L-503317




L-501210




L-503198




L-503828




CI-026-0105




L-503365




L-503312




CI-001-0381




A-12661




A-13476




A-06255




A-06256




L-503587




L-503589




L-500201




L-500308




L-500310




L-504020




L-504074




L-503599




L-503591




CI-010-20130




L-503951




L-504951




CI-010-20100




L-504036




A-00807




A-02051




CI-010-20114




CI-010-202113




A-00808




L-504050




A-02052




L-300211




L-100004




L-101035




L-708012



L-708011




L-708015




L-708014


200



A-16867
(NOVEDAD)



A-16868
(NOVEDAD)





Carretera Nacional IV, Km 32
Apartado de correos 69
28350 Ciempozuelos
Madrid, España



alueuropa@alueuropa.com



+34 91 895 58 00